



phoenix
SAFE COMPANY LIMITED



PRODUCT GUIDE

Phoenix Safe Company where peace of mind is guaranteed

INDEX

| | |
|-------------------------------------|--|
| LUXURY SAFES | |
| LS7000 SERIES | - NEXT LUXURY SAFE 3 |
| FIRE SAFES & CHESTS | |
| FS1280 SERIES | - TITAN 4 |
| FS1290 SERIES | - TITAN AQUA 5 |
| FS0440 SERIES | - FIRE FIGHTER 6 |
| FS1510 SERIES | - FIRE RANGER 7 |
| SS1620 SERIES | - FIREFOX 8 |
| FS1650 SERIES | - FIRECHIEF 9 |
| FS1910 SERIES | - FIRE COMMANDER 10 |
| FS1920 SERIES | - FIRE COMMANDER PRO 11 |
| FIRE FILES | |
| FS2230 SERIES | - ARCHIVO FIRE FILE 12 |
| FS2250/FS2260 SERIES | - WORLD CLASS VERTICAL FIRE FILE 13 |
| FS2410 SERIES | - WORLD CLASS LATERAL FIRE FILE 14 |
| DATA SAFES | |
| DS2000 SERIES | - DATACARE 15 |
| DS2500 SERIES | - DATA COMBI 16 |
| DS4620 SERIES | - DATA COMMANDER 17 |
| DS4650 SERIES | - MILLENNIUM DUPLEX 18 |
| SECURITY SAFES | |
| SS0721 SERIES | - COMPACT HOME & OFFICE SAFES 19 |
| SS0800 SERIES | - VELA HOME & OFFICE SAFES 20 |
| SS0100 SERIES | - RHEA ELECTRONIC SAFES 21 |
| SS0200 SERIES | - NESO FINGERPRINT SECURITY SAFES 22 |
| SS0300 SERIES | - DIONE HOTEL & LAPTOP SAFES 23 |
| SS1160 SERIES | - SECURSTORE 24 |
| SS1170 SERIES | - LYNX 25 |
| SS1180 SERIES | - FORTRESS 26 |
| SS1190 SERIES | - CITADEL 27 |
| HIGH SECURITY SAFES | |
| HS0650/HS1050 SERIES | - VENUS/NEPTUNE 28 |
| HS2050/HS3550 SERIES | - MERCURY/ELARA 29 |
| HS6070/HS9070 SERIES | - PLANET/COSMOS 30 |
| SL0020 SERIES | - STORAGE LOCKERS 31 |
| VAULTS | |
| HYPERION SERIES | - DEMOUNTABLE STRONG-ROOMS & VAULT DOORS ... 32 |
| SAFETY DEPOSIT LOCKERS | |
| PANDORA SERIES | - SAFETY DEPOSIT LOCKERS 33 |
| DEPOSIT SAFES | |
| SS0800 SERIES | - VELA DEPOSIT HOME & OFFICE SAFES 34 |
| SS0991 | - UNDER COUNTER NOTE DEPOSIT SAFE 35 |
| SS0992 | - CASHIER DAY DEPOSIT SAFE 35 |
| SS0990 SERIES | - CASHIER DEPOSIT 36 |
| HS1090 SERIES | - DIAMOND DEPOSIT 37 |
| UNDERFLOOR SAFES | |
| UF0400 SERIES | - TARVOS - UNDERFLOOR SAFES (SQUARE DOOR) 38 |
| UF0500 SERIES | - CHARON - UNDERFLOOR SAFES (ROUND DOOR) 39 |
| GUN SAFES | |
| GS8000 SERIES | - LACERTA GUN SAFES 40 |
| GS8015 SERIES | - TUCANA GUN SAFES 41 |
| KEY & CASH BOXES | |
| CB0100 SERIES | - CASH BOXES 42 |
| KC0020 SERIES | - KEY BOXES 42 |
| KS SERIES | - KEY STORE 43 |
| KS0030 SERIES | - CYGNUS KEY DEPOSIT SAFES 44 |
| KC0600 SERIES | - COMMERCIAL KEY CABINETS 45 |
| KC0300 SERIES | - DEEP KEY CABINETS 46 |
| KC0400 SERIES | - CLEAR VIEW KEY CABINETS 47 |
| KC0500 SERIES | - DEEP PLUS KEY & PADLOCK CABINETS 47 |
| MAIL BOXES | |
| MB SERIES | - TOP-LOADING MAIL BOXES 48 |
| MB SERIES | - FRONT-LOADING MAIL BOXES 49 |
| MB SERIES | - STAINLESS STEEL KEY-LOCKING MAIL BOXES 50 |
| LAPTOP & TABLET SECURITY | |
| SC0062/SC0071 | - LAPTOP SECURITY CASES 51 |

TEST SPECIFICATIONS

FIRE TEST STANDARDS – The fire test standards below require that the critical maximum temperature of the following media cannot be exceeded (a) Paper Records – 175°C (b) Digital Media – 120°C (c) Computer Data – 52°C.

NT FIRE 017-60 Paper – Requires safe to be heated to 945°C for 1 hour. The maximum temperature inside the cabinet shall not exceed 175°C.

NT FIRE 017-90 Paper – Requires safe to be heated to 1050°C for 90 minutes. The maximum temperature inside the cabinet shall not exceed 175°C.

NT FIRE 017-120 Dis – Requires safe to be heated to 1090°C for 2 hours. The maximum temperature inside the cabinet shall not exceed 52°C.

NT FIRE 017-120 Paper – Requires safe to be heated to 1090°C for 2 hours. The maximum temperature inside the cabinet shall not exceed 175°C.

EN1047-120 Dis – Requires safe to be heated to over 1100°C for 2 hours. Internal temperature shall not exceed 52°C.

EN1143-1 – The European norm for resistance to burglary attack with various resistance grades up to Grade 10.

EN14450-S1 – The European norm for resistance to burglary attack. Grade S1.

EN14450-S2 – The European norm for resistance to burglary attack. Grade S2.

LPS 30P, LPS 60P-EN 15659 – Light Fire Resistance where the internal temperature will not exceed 175°C.

MTS DIP 120-60DM (Grade B) – Digital Media fire protection where the internal temperature will not exceed 120°C.

WARRANTY/INSURANCE

All phoenix Fire safes come with a free lifetime 'after the fire' replacement warranty and a full 2 year onsite materials and labour warranty. A lifetime warranty applies to KS Series Key Stores. All mailboxes have a 5 year guarantee. A 1 year onsite materials and labour warranty applies to the UF Series. A 2 year onsite materials and labour warranty applies to SS1160/70/80, SS0990, HS & SL Series. A 2 year back to base warranty applies to SC Series. All other products have a 1 year back to base warranty.

Insurance cover against burglary attack will vary due to location and circumstances. Please check with your underwriter.

KEY



RECOMMENDED
INSURANCE
RATINGS
Cash rating
shown
- multiply by 10
for valuables



ELECTRONIC
LOCK



KEYLOCK



FINGERPRINT
LOCK



MECHANICAL
LOCK



ALARM



SUITABLE
FOR
17" LAPTOP



WATER
RESISTANT



DROP
TESTED



LIFETIME
AFTER FIRE
REPLACEMENT WARRANTY

LS7000 SERIES NEXT LUXURY SAFE



LS7001FW



LS7002FO



LS7003FC



LS7001FB

THE PHOENIX NEXT SERIES is a masterpiece in Design, Security and Fire Protection. Available in a range of stylish modern Oak, Cherry, Black and White finishes. It also features a slide and hide lock panel for extra security. The safe is ideal for modern office and homes when the need for discrete protection is required.

- **SECURITY PROTECTION** – The safe is recommended for an overnight cash risk of £3,000.00 or £30,000.00 valuables*.
- **FIRE PROTECTION (PAPER)** – Tested to the International NT Fire 017 – 60 Paper standard, providing 60 minutes fire protection for paper documents.
- **LOCKING** – Fitted with an advanced high security fingerprint and touch panel lock. The lock can store up to 128 different fingerprints. The clear LED display also makes operating the lock extremely easy. To further enhance security the lock also features tamper lockout, internal alarm, dual control, hidden code and unlimited scrambled code as standard.
- **FIXING** – Ready prepared for floor fixing with fixing bolts for concrete supplied.
- **FITTINGS** – Each Next safe comes with luxury wooden drawers, with fully lined base to protect your valuables. Additional drawers available on request to suit your own requirements.
- **SECURITY CONSTRUCTION** – The safe is locked by 3 way live locking bolts, each bolt 32mm in diameter for extra strength. Strategic points like the lock and bolts are further protected by anti-drill plates.
- **DROP TEST** – Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- **COLOUR/FINISH** – Stylish door panels available in Oak, Cherry, Black & White, plus slide and hide lock panel. Body finished in a high gloss Black.




| MODEL NUMBER | EXTERNAL DIMENSIONS H x W x D | INTERNAL DIMENSIONS H x W x D | WEIGHT | CAPACITY | SHELVES/ DRAWER | LEVER ARCH FOLDER | FOOLSCAP LEVER ARCH FOLDER | FOOLSCAP BOX FILE |
|--------------------|----------------------------------|----------------------------------|--------|-----------|--------------------|--|---|---|
| | | | | | | (H320xW75x290mm) Total no. of file per unit | (H350xW80xD285mm) Total no. of file per unit | (H370xW75xD245mm) Total no. of file per unit |
| LS7001 FC/FO/FB/FW | 580 x 500 x 545mm | 425 x 370 x 300mm** | 107kg | 47 Litres | 1/1 | 4 | 4 | 4 |
| LS7002 FC/FO/FB/FW | 780 x 500 x 550mm | 625 x 375 x 310mm** | 130kg | 72 Litres | 2/2 | 5 | 4 | 5 |
| LS7003 FC/FO/FB/FW | 880 x 500 x 550mm | 725 x 375 x 305mm** | 145kg | 82 Litres | 2/2 | 10 | 8 | 5 |

FC = Cherry, FO = Oak, FB = Black, FW = White

**LS7001 – the internal drawer reduces the internal height by 124mm.

LS7002 and LS7003 – the internal drawer reduces the internal height by 200mm.



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

FS1280 SERIES TITAN FIRE AND SECURITY SAFE



FS1280F



FS1281K



FS1283



FS1282E

THE PHOENIX TITAN is a modern, compact, fire and security resistant safe designed to meet the need for residential and business use.

- **FIRE PROTECTION (PAPER)** – Tested to the International NT Fire 017 - 60 fire test standard, at the Swedish SP Testing Centre providing 60 minutes fire protection for paper documents.
- **FIRE PROTECTION (DIGITAL MEDIA)** – Tested to MTC – DIP120 – 60DM fire test standard, providing 60 minutes fire protection for digital media, DVD's, USB's, memory sticks and hard drives.
- **LOCKING – FS1280K** – Fitted with a high quality key lock supplied with two keys. **FS1280E** – Fitted with an advanced high security electronic lock with clear LED display, dual control, hidden code & scrambled code that can be programmed as standard. **FS1280F** – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, internal alarm, dual control, hidden code and
- scrambled code that can be programmed as standard with up to 128 fingerprints.
- **SECURITY PROTECTION** – The safe is recommended for an overnight cash risk of £2,000.00 or £20,000.00 valuables* and is also ready prepared for floor fixing, with fixing bolts for concrete floors supplied.
- **DROP TEST** – Drop tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building or the collapse of the building.
- **SPECIAL FEATURES** – All models are supplied with four internal key hooks and a pull out drawer. Models FS1282 & FS1283 also have the added advantage of a height adjustable shelf.
- **COLOUR** – Finished in a high quality scratch resistant paint RAL9003 White.

| MODEL NUMBER | EXTERNAL DIMENSIONS H x W x D | INTERNAL DIMENSIONS H x W x D | DOOR SWING / HANDLE DEPTH | WEIGHT | CAPACITY | SHELVES/ DRAWER/ INTERNAL KEY HOOKS |
|--------------|----------------------------------|----------------------------------|------------------------------|--------|-----------|---|
| FS1281K/E/F | 360 x 412 x 363mm | 260 x 320 x 234mm | 350mm/40mm | 28kg | 19 Litres | 0/1/4 |
| FS1282K/E/F | 410 x 350 x 430mm | 320 x 260 x 304mm | 325mm/40mm | 34kg | 25 Litres | 1/1/4 |
| FS1283K/E/F | 515 x 400 x 440mm | 410 x 300 x 300mm | 375mm/40mm | 53kg | 36 Litres | 1/1/4 |

The internal drawer reduces internal height by 50mm



Internal Key Hooks



FS1280K



FS1280E



FS1280F



FS1280F



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

FS1290 SERIES TITAN AQUA



FS1291E



FS1293E



FS1292E

THE PHOENIX TITAN AQUA is an ultra-modern and compact range of safes, designed to protect documents, digital media & valuables from fire, water and theft, ideal for residential and business use.

- **FIRE PROTECTION (PAPER)** – 1hr fire protection for paper documents.
- **FIRE PROTECTION (DIGITAL MEDIA)** – 1hr fire protection for digital media (DVD's, USB sticks & Hard Drives).
- **WATER RESISTANT** – Up to 200mm of water for 24 hours.
- **LOCKING** – Fitted with an advanced user friendly electronic lock with illuminating keypad and key override facility (2 keys supplied).
- **SECURITY PROTECTION** – Recommended overnight cash risk of £2,000 or £20,000 valuables*.
- **CONSTRUCTION** – Large 25mm live locking bolts for added protection against attack.
- **FIXING** – Ready prepared for floor fixing, with fixing bolts for concrete floors supplied.
- **SPECIAL FEATURES** – All models are supplied with a height adjustable shelf and internal door pocket. **FS1292E** and **FS1293E** are fitted with 5 internal key hooks. **FS1293E** is also fitted with internal drawer.
- **COLOUR** – Finished in a high quality scratch resistant Black paint.

| MODEL NUMBER | EXTERNAL DIMENSIONS H x W x D | INTERNAL DIMENSIONS H x W x D | DOOR SWING / HANDLE DEPTH | WEIGHT | CAPACITY | SHELVES/ DRAWER/ INTERNAL KEY HOOKS |
|--------------|----------------------------------|----------------------------------|------------------------------|--------|-----------|---|
| FS1291E | 355 x 470 x 482mm | 220 x 330 x 325mm | 305mm/47mm | 36kg | 24 Litres | 1/0/0 |
| FS1292E | 460 x 470 x 482mm | 330 x 330 x 325mm | 410mm/47mm | 45kg | 35 Litres | 1/0/5 |
| FS1293E | 610 x 530 x 482mm | 475 ⁺ x 385 x 325mm | 550mm/47mm | 62kg | 60 Litres | 1/1/5 |

+ The internal drawer reduces internal height by 50mm



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



FS0441K



FS0443



FS0442E

THE PHOENIX FIRE FIGHTER sets new standards for fire and security protection and is an ideal safe for small to medium sized enterprises.

- **FIRE PROTECTION (PAPER)** – Tested to Swedish NT Fire 017 – 90 Paper (FS0441 & FS0442), NT Fire 017–120 Paper (FS0443), providing up to 120 minutes fire protection for paper documents.
- **FIRE PROTECTION (DIGITAL MEDIA)** – Tested to MTC – DIP120 – 60DM fire test standard, providing 60 minutes fire protection for digital media, DVD's, USB's, memory sticks and hard drives.
- **SECURITY PROTECTION** – The safe is recommended for an overnight cash risk of £2,500.00 or £25,000.00 valuables*.
- **DROP TEST** – Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- **FITTINGS** – Each safe comes complete with height adjustable shelf and lockable cash/valuables drawer.
- **LOCKING** – **FS0440K** – Fitted with a high quality key

lock supplied with two keys. **FS0440E** – Fitted with an advanced high security electronic lock with clear LED display, dual control, hidden code & scrambled code that can be programmed as standard.

FS0440F – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, internal alarm, dual control, hidden code and scrambled code that can be programmed as standard with up to 128 fingerprints.

- **FIXING** – Ready prepared for floor fixing with fixing bolts for concrete supplied.
- **SPECIAL FEATURES** – Fitted with automatic slam shut door locking.
- **COLOUR** – Finished in a high quality scratch resistant paint RAL9003 White.



Internal Key Hooks

| MODEL NUMBER | EXTERNAL DIMENSIONS H x W x D | INTERNAL DIMENSIONS H x W x D | DOOR SWING / HANDLE DEPTH | WEIGHT | CAPACITY | SHELVES / DRAWERS / INTERNAL KEY HOOKS | LEVER ARCH FOLDER (H320xW75x290mm) Total no. of file per unit | FOOLSCAP LEVER ARCH FOLDER (H350xW80xD285mm) Total no. of file per unit | FOOLSCAP BOX FILE (H370xW75xD245mm) Total no. of file per unit |
|--------------|----------------------------------|----------------------------------|------------------------------|--------|------------|---|--|--|---|
| FS0441K/E/F | 640 x 500 x 500mm | 510 ⁺ x 375 x 330mm | 440mm/40mm | 93kg | 63 Litres | 1/1/3 | 5 | 4 | 5 |
| FS0442K/E/F | 820 x 520 x 520mm | 670 ⁺ x 380 x 330mm | 460mm/40mm | 120kg | 84 Litres | 1/1/3 | 5 | 4 | 5 |
| FS0443K/E/F | 1065 x 655 x 560mm | 880 ⁺ x 475 x 350mm | 570mm/40mm | 218kg | 145 Litres | 1/1/5 | 12 | 10 | 12 |

* The internal drawer reduces internal height by 95mm



FS0440K



FS0440E



FS0440F



FS0440F




* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

FS1510 SERIES FIRE RANGER



THE PHOENIX FIRE RANGER sets new standards for protection against fire and burglary attack in an economic, convenient and attractive format.

- **FIRE PROTECTION** – Provides 30 minutes fire protection for paper records at 500°C.
- **LOCKING** – **FS1510K** – Fitted with a high security VdS class I key lock supplied with two keys. **FS1510E** – Fitted with an advanced high security electronic lock with clear LED display, dual control, hidden code & scrambled code that can be programmed as standard. **FS1510F** – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, internal alarm, dual control, hidden code and scrambled code that can be programmed as standard with up to 128 fingerprints.
- **SECURITY PROTECTION** – The safe is recommended for overnight cash cover of £1,500 or valuables cover of £15,000*.
- **DOOR CONSTRUCTION** – High security 3 way espagnolette boltwork provides great strength and attack resistance.
- **SPECIAL FEATURES** – Supplied with height adjustable shelves that also includes hanging rails for lateral files as standard.
- **COLOUR** – Finished in a high quality scratch resistant White paint RAL9003.



| MODEL NUMBER | EXTERNAL DIMENSIONS H x W x D | INTERNAL DIMENSIONS H x W x D | DOOR SWING / HANDLE DEPTH | WEIGHT | CAPACITY | SHELVES / DOORS | LEVER ARCH FOLDER | FOOLSCAP LEVER ARCH FOLDER | FOOLSCAP BOX FILE |
|--|----------------------------------|----------------------------------|------------------------------|--------|------------|--------------------|--|--|--|
| | | | | | | | (H320xW75xD290mm) Total no.of file per unit | (H350xW80xD285mm) Total no.of file per unit | (H370xW75xD245mm) Total no.of file per unit |
| FS1511K/E/F | 1225 x 600 x 520mm | 1082 x 506 x 415mm | 575mm/50mm | 77kg | 230 Litres | 2/1 | 18 | 18 | 12 |
| FS1512K/E/F | 1225 x 935 x 520mm | 1050 x 814 x 415mm | 415mm/50mm | 106kg | 359 Litres | 2/2 | 30 | 30 | 20 |
| FS1513K/E/F | 1950 x 930 x 520mm | 1810 x 814 x 415mm | 455mm/50mm | 152kg | 615 Litres | 4/2 | 50 | 50 | 40 |
| FS1514K/E/F | 1950 x 1250 x 520mm | 1810 x 1134 x 415mm | 595mm/50mm | 194kg | 851 Litres | 4/2 | 75 | 70 | 60 |
| Data Protection Insert – FSDPI03 (FS1512, FS1513 & FS1514 only) | | | | | | | | | |
| | 300 x 515 x 360mm | 170 x 370 x 230mm | - | 20kg | 14 Litres | - | | | |



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



SS1622K



SS1623



SS1621E

THE PHOENIX FIREFOX SS1620 series is designed and tested to the latest and prestigious European test standards for both Fire and Security Protection.

- **SECURITY PROTECTION** – Tested to the prestigious European S1 Security standard (EN14450 ECB.S Certified) giving cash cover of £2,000 or valuables cover of £20,000*.
- **APPROVALS** – UK Police approved (Secured by Design scheme) and the Association of Insurance Surveyors (Ais).
- **FIRE PROTECTION (PAPER)** – Tested to the Swedish NT Fire 017-120 Paper standard, providing 120 minutes fire protection for paper documents.
- **FIRE PROTECTION (DIGITAL MEDIA)** – Tested to MTC - DIP120 - 60DM fire test standard, providing 60 minutes fire protection for digital media, DVD's, USB's, memory sticks and hard drives.
- **FEATURES** – Internal lockable steel drawer unit in each model.

- **LOCKING** – **SS1620K** – Fitted with a high security double bitted VdS class I key lock. **SS1620E** – Fitted with a high security VdS class II electronic lock.
- **DROP TEST** – Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- **CONSTRUCTION** – Double wall construction with high grade concrete infill to provide both fire and burglary protection.
- **FIXING** – Ready prepared for floor fixing, with fixing bolts for concrete supplied.
- **COLOUR** – Finished in a high quality scratch resistant White paint RAL9003.
- **+** Suitable for storage of controlled drugs whose active ingredients do not exceed 500 grams.



Internal Key Hooks

| MODEL NUMBER | EXTERNAL DIMENSIONS H x W x D | INTERNAL DIMENSIONS H x W x D | DOOR SWING / HANDLE DEPTH | WEIGHT | CAPACITY | DRAWERS / SHELVES / KEY HOOKS | LEVER ARCH FOLDER (H320xW75x290mm) Total no.of file per unit | FOOLSCAP LEVER ARCH FOLDER (H350xW80xD285mm) Total no.of file per unit | FOOLSCAP BOX FILE (H370xW75xD245mm) Total no.of file per unit |
|---|----------------------------------|----------------------------------|------------------------------|--------|------------|--|---|---|--|
| SS1621K/E | 960 x 655 x 560mm | 780 ⁺ x 475 x 350mm | 600mm/50mm | 188kg | 128 Litres | 1/2/5 | 9 | 8 | 9 |
| SS1622K/E | 1160 x 655 x 560mm | 980 ⁺ x 475 x 350mm | 600mm/50mm | 217kg | 162 Litres | 1/2/5 | 12 | 10 | 13 |
| SS1623K/E | 1385 x 775 x 650mm | 1205 ⁺ x 595 x 440mm | 720mm/50mm | 330kg | 315 Litres | 1/3/0 | 21 | 18 | 17 |
| Data Protection Insert – FSDPI03 (SS1623 only) | | | | | | | | | |
| | 300 x 515 x 360mm | 170 x 370 x 230mm | - | 20kg | 14 Litres | - | - | - | - |

⁺ Drawer reduces internal height by 105mm.



SS1620K



SS1620E



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

FS1650 SERIES FIRECHIEF



FS1651K

FS1654

FS1653E

FS1652K


THE PHOENIX FIRECHIEF FS1650 SERIES sets new standards for protection against fire and burglary attack in an economic, convenient and attractive format. Ideal for large quantities of documents, records & exam papers.

- **FIRE PROTECTION** – Provides 30 minutes fire protection for paper records.
 - **LOCKING OPTIONS** – **FS1650K** – Fitted with high security double bitted VdS class I key lock. **FS1650E** – Fitted with high security VdS class II electronic lock with dual control, master code & time delay.
 - **SECURITY PROTECTION** – Tested to the prestigious European S1 security standard EN14450, giving cash cover of £2,000 or valuables cover of £20,000.
 - **JCQ COMPLIANT** – Complies with the requirements set out by the Joint Council for Qualifications (JCQ) for the secure storage of question papers and any other confidential materials distributed to centres in advance of the examinations. (Applies to FS1650K only).
 - **CONSTRUCTION** – High security 3 way boltwork provides great strength and attack resistance.
 - **SPECIAL FEATURES** – Supplied with height adjustable shelves that also includes hanging rails for lateral files as standard. Optional pull-out cradles also available but only suitable if the unit is base fixed.
 - **FIXING** – Ready prepared for floor fixing, with fixing bolts for concrete supplied.
 - **COLOUR** – Finished in a high quality scratch resistant White paint RAL9003.
- ✚ Suitable for storage of controlled drugs whose active ingredients do not exceed 500 grams.



Optional Pull-Out Cradle

| MODEL NUMBER | EXTERNAL DIMENSIONS H x W x D | INTERNAL DIMENSIONS H x W x D | DOOR SWING / HANDLE DEPTH | WEIGHT | CAPACITY | SHELVES / DOORS | LEVER ARCH FOLDER | FOOLSCAP LEVER ARCH FOLDER | FOOLSCAP BOX FILE |
|--|----------------------------------|----------------------------------|------------------------------|--------|------------|--------------------|----------------------------|-------------------------------|----------------------------|
| | | | | | | | Total no. of file per unit | Total no. of file per unit | Total no. of file per unit |
| FS1651K/E | 1225 x 600 x 520mm | 1082 x 506 x 415mm | 575mm/50mm | 71kg | 230 Litres | 2/1 | 18 | 18 | 12 |
| FS1652K/E | 1225 x 935 x 520mm | 1050 x 814 x 415mm | 415mm/50mm | 90kg | 346 Litres | 2/2 | 30 | 30 | 20 |
| FS1653K/E | 1950 x 930 x 520mm | 1810 x 814 x 415mm | 455mm/50mm | 142kg | 615 Litres | 4/2 | 50 | 50 | 40 |
| FS1654K/E | 1950 x 1250 x 520mm | 1810 x 1134 x 415mm | 595mm/50mm | 200kg | 817 Litres | 4/2 | 70 | 75 | 60 |
| Data Protection Insert – FSDPI03 (FS1652, FS1653 & FS1654 only) | | | | | | | | | |
| | 300 x 515 x 360mm | 170 x 370 x 230mm | - | 20kg | 14 Litres | - | | | |



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



FS1911E



FS1912K



FS1913K



Shown with optional lateral filing frame – Available for all models.

FS1914

Shown with optional Data protection insert (FSDPI03) for models FS1913 & FS1914

THE PHOENIX FIRE COMMANDER FS1910 SERIES offers unrivalled protection for documents, digital media, data (with FSDPI03) and cash.

- **FIRE PROTECTION (PAPER)** – Tested to the Swedish NT Fire 017 – 120 Paper standard, providing 120 minutes fire protection for paper documents.
- **FIRE PROTECTION (DIGITAL MEDIA)** – Tested to MTC DIP120 - 60DM Fire Test standard providing up to 60 minutes fire protection for DVDs, memory sticks and hard drives.
- **SECURITY PROTECTION** – The safe is recommended for an overnight cash risk of £2,500.00 or £25,000.00 valuables.
- **DROP TEST** – Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- **LOCKING – FS1910K** – Fitted with a high quality key lock supplied with two keys. **FS1910E** – Fitted with an advanced high security electronic lock with clear LED display, dual control, hidden code & scrambled code that can be programmed as standard. **FS1910F** – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, internal alarm, dual control, hidden code and scrambled code that can be programmed as standard with up to 128 fingerprints.
- **SPECIAL FEATURES** – Supplied with height adjustable shelves. Optional pull out shelves & drawers available.
- **COLOUR** – Finished in a high quality scratch resistant paint RAL9003 White.

| MODEL NUMBER | EXTERNAL DIMENSIONS H x W x D | INTERNAL DIMENSIONS H x W x D | DOOR SWING / HANDLE DEPTH | WEIGHT | CAPACITY | SHELVES / DOORS | LEVER ARCH FOLDER | FOOLSCAP LEVER ARCH FOLDER | FOOLSCAP BOX FILE |
|---|----------------------------------|----------------------------------|------------------------------|--------|------------|--------------------|--|---|---|
| | | | | | | | (H320xW75x290mm) Total no. of file per unit | (H350xW80xD285mm) Total no. of file per unit | (H370xW75xD245mm) Total no. of file per unit |
| FS1911K/E/F | 1160 x 690 x 650mm | 980 x 510 x 440mm | 650mm/40mm | 260kg | 220 Litres | 2/1 | 18 | 12 | 12 |
| FS1912K/E/F | 1685 x 690 x 650mm | 1505 x 510 x 440mm | 470mm/40mm | 340kg | 338 Litres | 3/1 | 24 | 24 | 24 |
| FS1913K/E/F | 1160 x 950 x 650mm | 980 x 770 x 440mm | 650mm/40mm | 358kg | 332 Litres | 2/2 | 30 | 18 | 20 |
| FS1914K/E/F | 1685 x 1125 x 650mm | 1505 x 945 x 440mm | 560mm/40mm | 554kg | 626 Litres | 3/2 | 48 | 44 | 48 |
| Data Protection Insert – FSDPI03 (FS1913 & FS1914) | | | | | | | | | |
| | 300 x 515 x 360mm | 170 x 370 x 230mm | - | 20kg | 14 Litres | - | | | |



FS1910K



FS1910E



FS1910F



FS1910F



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

FS1920 SERIES FIRE COMMANDER PRO



FS1922K



FS1923



Shown with optional Data protection insert (FSDPI03). Available for all models.

FS1921E

THE PHOENIX FS1920 FIRE COMMANDER PRO series offers unrivalled protection for documents, data (with FSDPI03) and cash.

- **FIRE PROTECTION (PAPER)** – Tested to the European LFS 60P Fire protection standard (EN15659 ECB.S Certified) giving 60 minutes fire protection for paper documents.
- **APPROVALS** – UK Police approved (Secured by Design scheme) and the Association of Insurance Surveyors (AiS).
- **SECURITY PROTECTION** – Tested to the prestigious European S2 Security Standard (EN14450 – ECB.S Certified) giving cash cover of £4,000 or Valuables cover of £40,000.
- **FIXING** – Ready prepared for floor fixing with fixing bolts for concrete supplied.
- **LOCKING – FS1920K** – Fitted with high security double bitted VdS class I key lock. **FS1920E** – Fitted with high security VdS class II electronic lock with dual control, master code & time delay.
- **SPECIAL FEATURES** – Supplied with height adjustable shelves that also includes hanging rails for lateral files as standard. Optional pull-out cradles also available but only suitable if the unit is base fixed.
- **COLOUR** – Finished in a high quality scratch resistant paint RAL9003 White.

| MODEL NUMBER | EXTERNAL DIMENSIONS H x W x D | INTERNAL DIMENSIONS H x W x D | DOOR SWING / HANDLE DEPTH | WEIGHT | CAPACITY | SHELVES | LEVER ARCH FOLDER | FOOLSCAP LEVER ARCH FOLDER | FOOLSCAP BOX FILE |
|---|----------------------------------|----------------------------------|------------------------------|--------|------------|---------|--|---|---|
| | | | | | | | (H320xW75x290mm) Total no. of file per unit | (H350xW80xD285mm) Total no. of file per unit | (H370xW75xD245mm) Total no. of file per unit |
| FS1921K/E | 1200 x 1250 x 585mm | 1030 x 1110 x 390mm | 570mm/40mm | 440kg | 445 Litres | 2 | 42 | 26 | 28 |
| FS1922K/E | 1950 x 940 x 585mm | 1760 x 800 x 390mm | 690mm/40mm | 457kg | 549 Litres | 4 | 50 | 50 | 40 |
| FS1923K/E | 1950 x 1250 x 585mm | 1785 x 1110 x 390mm | 520mm/40mm | 650kg | 772 Litres | 4 | 70 | 65 | 56 |
| Data Protection Insert – FSDPI03 | | | | | | | | | |
| | 300 x 515 x 360mm | 170 x 370 x 230mm | - | 20kg | 14 Litres | - | | | |



FS1920K

FS1920E

* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



FS2234K



FS2232K



Data protection
Insert FSDPI08

THE PHOENIX ARCHIVO FIRE FILE series offers unrivalled protection for documents and data in a stylish modern filing cabinet format. Ultra lightweight insulation materials also mean the cabinet can be used on most standard floors without the need for supporting.

- **FIRE PROTECTION (PAPER)** – Tested to the international NT Fire 017 – 60 paper standard, providing 60 minutes fire protection for paper documents.
- **FIRE PROTECTION (DATA)** – 60 minutes fire protection for Computer tapes and data when optional FSDPI08 is specified.
- **FIRE PROTECTION (DIGITAL MEDIA)** – Tested to MTC – DIP120 – 60DM fire test standard, providing 60 minutes fire protection for digital media, USB's, memory sticks and hard drives.
- **WATER RESISTANCE** – Water resistant seals prevent water damage to contents when cabinet is subjected to sprinklers systems or fire hoses.***
- **DROP TEST** – Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- **LOCKING** – Fitted with a high security plunger lock that operates independently on each drawer. This allows for any combination of open or locked drawers.
- **CAPACITY** – Able to accommodate Foolscap, A4 and A5 files on width adjustable rails. Each drawer also accommodates a filing depth of 505mm.

| MODEL NUMBER | EXTERNAL DIMENSIONS H x W x D | INTERNAL DIMENSIONS H x W x D | WEIGHT | CAPACITY PER DRAWER | TOTAL CAPACITY | DRAWERS |
|---|----------------------------------|----------------------------------|--------|------------------------|-------------------|---------|
| FS2232K | 720 x 525 x 675mm | 265 x 385 x 505mm** | 132kg | 51 Litres | 102 Litres | 2 |
| FS2234K | 1405 x 530 x 675mm | 255 x 385 x 505mm** | 253kg | 51 Litres | 204 Litres | 4 |
| Data Protection Insert – FSDPI08 | | | | | | |
| | 260 x 380 x 500mm | 165 x 282 x 402mm | - | 19 Litres | - | |

- **COLOUR** – Finished in a high quality scratch resistant paint RAL9003 White.

*** Does not protect against water submersion

** Internal dimensions for the drawers

† When using Phoenix FSDPI08



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

FS2250/FS2260 SERIES WORLD CLASS VERTICAL FIRE FILE



FS2254E



FS2252K

FS2250 Series = 25 inch deep
FS2260 Series = 31 inch deep



FS2250/60F



Data protection
Insert FSDPI08

THE PHOENIX WORLD CLASS VERTICAL FIRE FILE series offers unrivalled protection for documents and data† in a stylish modern filing cabinet format. Ultra lightweight insulation materials also mean the cabinet can be used on most standard floors without the need for supporting.

- **FIRE PROTECTION (PAPER)** – 90 minutes fire protection for paper documents.
- **FIRE PROTECTION (DATA)** – 90 minutes fire protection for Computer tapes and data if optional FSDPI08 is used.
- **FIRE PROTECTION (DIGITAL MEDIA)** – Tested to MTC – DIP120 – 60DM fire test standard, providing 60 minutes fire protection for digital media, USB's, memory sticks and hard drives.
- **COLOUR** – Finished in a high quality scratch resistant paint RAL9003 White.
- **WATER RESISTANCE** – Water resistant seals prevent

water damage to contents when cabinet is subjected to sprinklers systems or fire hoses.***

- **DROP TEST** – Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- **LOCKING** – **FS2250K/60K** – Fitted with a high quality key lock supplied with two keys. **FS2250E/60E** – Fitted with an advanced high security electronic lock with clear LED display, dual control, hidden code & scrambled code that can be programmed as standard. **FS2250F/60F** – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, internal alarm, dual control, hidden code and scrambled code that can be programmed as standard with up to 128 fingerprints.
- **CAPACITY** – Able to accommodate Foolscap, A4 and A5 files on width adjustable rails. Compression plates are also supplied to maximise useable space.

| MODEL NUMBER | EXTERNAL DIMENSIONS H x W x D | INTERNAL DIMENSIONS H x W x D | WEIGHT | CAPACITY PER DRAWER | TOTAL CAPACITY | DRAWERS |
|---|----------------------------------|----------------------------------|--------|------------------------|-------------------|---------|
| FS2252K/E/F | 720 x 525 x 675mm | 255 x 385 x 505mm** | 140kg | 49 Litres | 98 | 2 |
| FS2254K/E/F | 1405 x 525 x 675mm | 255 x 385 x 505mm** | 266kg | 49 Litres | 196 | 4 |
| FS2262K/E/F | 720 x 530 x 810mm | 255 x 385 x 635mm** | 150kg | 62 Litres | 124 | 2 |
| FS2264K/E/F | 1405 x 530 x 805mm | 255 x 385 x 635mm** | 268kg | 62 Litres | 248 | 4 |
| Data Protection Insert – FSDPI08 (FS2250 only) | | | | | | |
| | 260 x 380 x 500mm | 165 x 282 x 402mm | 20kg | 19 Litres | - | |

*** Does not protect against water submersion ** Internal dimensions for the drawers † When using Phoenix FSDPI08



FS2250K/60K

FS2250E/60E

FS2250F/60F

FS2250F/60F

* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

FS2410 SERIES WORLD CLASS LATERAL FIRE FILE



FS2414E



FS2412K



FSDPI09

● **KEY FEATURE** – Cheaper per mm of filing compared to standard vertical file**.



FS2410F

THE PHOENIX WORLD CLASS LATERAL FIRE FILE FS2410 series offers unrivalled protection and capacity for documents and data† in a stylish modern lateral filing cabinet format. Ultra lightweight insulation materials also mean the cabinet can be used on most standard floors without the need for supporting.

- **FIRE PROTECTION (PAPER)** – Tested to the Swedish NT Fire 017 – 60 Paper standard, providing 60 minutes fire protection for paper documents.
- **FIRE PROTECTION (DATA)** – 60 minutes protection for computer tapes and digital media when stored in optional FSDPI09.
- **WATER RESISTANCE** – Water resistant seals prevent water damage to contents when cabinet is subjected to sprinkler systems or fire hoses***.
- **DROP TEST** – Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- **CAPACITY** – Able to accommodate foolscap, A4 and A5 files on width adjustable rails.
- **LOCKING – FS2410K** – Fitted with a high quality key lock supplied with two keys. **FS2410E** – Fitted with an advanced high security electronic lock with clear LED display, dual control, hidden code & scrambled code that can be programmed as standard. **FS2410F** – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, internal alarm, dual control, hidden code and scrambled code that can be programmed as standard with up to 128 fingerprints.
- **COLOUR** – Finished in a high quality scratch resistant paint RAL9003 White.

| MODEL NUMBER | EXTERNAL DIMENSIONS H x W x D | INTERNAL DIMENSIONS H x W x D | WEIGHT | CAPACITY PER DRAWER | TOTAL CAPACITY | DRAWERS |
|---|----------------------------------|----------------------------------|--------|------------------------|-------------------|---|
| FS2412K/E/F | 730 x 985 x 600mm | 266 x 832 x 384mm ^{††} | 209kg | 84 Litres | 168 Litres | 2 (lateral foolscap - complete with filing cradles) |
| FS2414K/E/F | 1390 x 985 x 600mm | 266 x 832 x 384mm ^{††} | 342kg | 84 Litres | 336 Litres | 4 (lateral foolscap - complete with filing cradles) |
| Data Protection Insert – FSDPI09 | | | | | | |
| | 259 x 400 x 375mm | 165 x 282 x 277mm | 20kg | - | 13 Litres | - |

† When using Phoenix FSDPI09

†† Internal dimensions for the drawers

** When compared against the Phoenix FS2254 Vertical Fire File retail price

*** Does not protect against water submersion



FS2410K



FS2410E



FS2410F



FS2410F



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

DS2000 SERIES DATACARE



DS2002K



DS2003K
Shown with optional extra
multimedia trays



Internal Key Hooks



DS2000F



DS2001E

Designed to meet the requirement of a large capacity fire protection unit for computer backup tapes and digital media such as CD's, DVD's and memory sticks. Suitable for use in residential or business premises.

- **FIRE PROTECTION (DATA)** – Tested to Swedish NT Fire 017.
 - DS2001 – 60dis standard, Providing 60 minutes fire protection for computer backup tapes.
 - DS2002 – 90dis standard, providing 90 minutes fire protection for computer backup tapes.
 - DS2003 – 120dis standard, providing 120 minutes fire protection for computer backup tapes.*
- **WATER RESISTANCE** – Twin water resistant seals provide an airtight water resistant inner compartment for your computer media.
- **DROP TEST** – Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- **SPECIAL FEATURES** – DS2002 and DS2003 are fitted with automatic slam shut locking.
- **LOCKING** – **DS2000K** – Fitted with a high quality key lock supplied with two keys. **DS2000E** – Fitted with an advanced high security electronic lock with clear LED

display, dual control, hidden code & scrambled code that can be programmed as standard.

DS2000F – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, internal alarm, dual control, hidden code and scrambled code that can be programmed as standard with up to 128 fingerprints.

- **FITTINGS** – DS2001 supplied with one shelf and DS2002 supplied with two shelves. DS2003 comes complete with two height adjustable shelves and can also be fitted with pull out media trays as an optional extra.
- **COLOUR** – Finished in a high quality scratch resistant paint RAL9003 White.



| MODEL NUMBER | EXTERNAL DIMENSIONS H x W x D | INTERNAL DIMENSIONS H x W x D | DOOR SWING / HANDLE DEPTH | WEIGHT | CAPACITY | SHELVES/ KEY HOOKS | DATA CAPACITY | | | |
|----------------------|----------------------------------|----------------------------------|------------------------------|--------|-----------|-----------------------|---------------|-----|-----|--------|
| | | | | | | | LTO | DAT | DLT | CD-ROM |
| DS2001K/E/F | 420 x 350 x 430mm | 240 x 150 x 195mm | 305mm/30mm | 43kg | 7 Litres | 1/4 | 14 | 79 | 14 | 30 |
| DS2002K/E/F | 600 x 470 x 470mm | 380 x 245 x 195mm | 440mm/30mm | 93kg | 18 Litres | 2/3 | 30 | 224 | 30 | 57 |
| DS2003K/E/F | 770 x 690 x 720mm | 485 x 395 x 405mm | 609mm/30mm | 222kg | 77 Litres | 2/0 | 186 | 990 | 189 | 381 |
| MEDIA DRAWERS | - | 60 x 370 x 397mm | - | 3kg | - | - | 42 | 116 | 42 | 94 |



DS2000K



DS2000E




DS2000F



DS2000F



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



FOUR SAFES IN ONE – this safe provides fire protection for paper documents, computer diskettes, tapes and all forms of data storage and security for cash and valuables all in one unit. Suitable for use in residential or business premises.

- **FIRE PROTECTION (PAPER)** – Tested to Swedish NT Fire 017 – 90 Paper (DS2501/DS2502), NT Fire 017 – 120 Paper (DS2503), providing up to 120 minutes fire protection for paper documents.
- **FIRE PROTECTION (DATA)** – Tested to Swedish NT Fire 017 – 90dis (DS2501/DS2502), NT Fire 017 – 120 data (DS2503), providing up to 120 minutes Fire protection for computer diskettes, tapes and all forms of data storage.
- **FIRE PROTECTION (DIGITAL MEDIA)** – Tested to MTC – DIP120 – 60DM fire test standard, providing 60 minutes fire protection for digital media, DVD's, USB's, memory sticks and hard drives.
- **SECURITY PROTECTION** – The safe is recommended for an overnight cash risk of £2,500.00 or £25,000.00 valuables*.
- **DROP TEST** – Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- **LOCKING** – **DS2500K** – Fitted with a high quality key lock supplied with two keys. **DS2500E** – Fitted with an advanced high security electronic lock with clear LED display, dual control, hidden code & scrambled code that can be programmed as standard. **DS2500F** – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, internal alarm, dual control, hidden code and scrambled code that can be programmed as standard with up to 128 fingerprints.
- **FITTINGS** – Each safe comes complete with height adjustable shelf and lockable drawer.
- **FIXING** – Ready prepared for floor fixing with fixing bolts for concrete supplied.
- **SPECIAL FEATURES** – Fitted with automatic slam shut locking.
- **COLOUR** – Finished in a high quality scratch resistant paint RAL9003 White.

| MODEL NUMBER | EXTERNAL DIMENSIONS H x W x D | INTERNAL DIMENSIONS H x W x D | DOOR SWING / HANDLE DEPTH | WEIGHT | CAPACITY | SHELVES / DRAWERS / INTERNAL KEY HOOKS |
|--------------|----------------------------------|----------------------------------|------------------------------|--------|--|---|
| DS2501K/E/F | 640 x 500 x 500mm | 510 ⁺ x 375 x 330mm | 440mm/40mm | 103kg | 63 Litres Main Safe / 6 Litres Data Compartment | 1/1/3 |
| DS2502K/E/F | 820 x 520 x 520mm | 670 ⁺ x 380 x 330mm | 460mm/40mm | 134kg | 84 Litres Main Safe / 6 Litres Data Compartment | 1/1/3 |
| DS2503K/E/F | 1065 x 655 x 560mm | 880 ⁺ x 475 x 350mm | 570mm/40mm | 227kg | 145 Litres Main Safe / 14 Litres Data Compartment | 1/1/5 |

⁺ Internal drawer and data box reduces internal height by 305mm on DS2501E & DS2502E and 380mm on DS2503E



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

DS4620 SERIES DATA COMMANDER



Designed to meet the requirement of a large capacity fire protection unit for computer diskettes, tapes and all forms of data storage. Suitable for use in commercial business premises for large volume storage.

- **FIRE PROTECTION (DATA)** – Tested to Swedish NT Fire 017 – 120dis standard, providing 120 minutes fire protection for computer backup tapes.
- **WATER RESISTANCE** – Twin water resistant seals provide an airtight water resistant inner compartment for your computer media.
- **LOCKING** – **DS4620K** – Fitted with a high quality key lock supplied with two keys. **DS4620E** – Fitted with an advanced high security electronic lock with clear LED display, dual control, hidden code & scrambled code that can be programmed as standard. **DS4620F** – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, internal alarm, dual control, hidden code and scrambled code that can be programmed as standard with up to 128 fingerprints.
- **DROP TEST** – Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- **SPECIAL FEATURES** – DS4621 and DS4622 are fitted with automatic slam shut locking.
- **FITTINGS** – Each unit comes complete with height adjustable shelves and pull out media trays.
- **COLOUR** – Finished in a high quality scratch resistant paint RAL9003 White.



| MODEL NUMBER | EXTERNAL DIMENSIONS H x W x D | INTERNAL DIMENSIONS H x W x D | DOOR SWING / HANDLE DEPTH | WEIGHT | CAPACITY | SHELVES / DRAWERS | LTO | DAT | DLT | CD-ROM |
|----------------------|----------------------------------|----------------------------------|------------------------------|--------|------------|----------------------|-----|------|-----|--------|
| DS4621K/E/F | 1160 x 690 x 720mm | 885 x 400 x 405mm | 595mm/40mm | 340kg | 143 Litres | 2/3 | 294 | 1044 | 294 | 470 |
| DS4622K/E/F | 1685 x 690 x 720mm | 1410 x 400 x 405mm | 595mm/40mm | 480kg | 228 Litres | 2/5 | 462 | 1740 | 462 | 940 |
| DS4623K/E/F | 1685 x 1200 x 720mm | 1410 x 800** x 405mm | 595mm/40mm | 753kg | 457 Litres | 3/10 | 924 | 3480 | 924 | 1880 |
| MEDIA DRAWERS | - | 60 x 370 x 397mm | - | 3kg | - | - | 42 | 116 | 42 | 94 |

** width comprises of two compartments each 395mm wide.



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

DS4650 SERIES MILLENNIUM DUPLEX



DS4651



DS4652E




DS4653E

THE PHOENIX MILLENNIUM DUPLEX DS4650 SERIES is designed to meet the requirement of a large capacity fire protection unit for computer backup tapes and digital media such as CD's, DVD's and memory sticks. Suitable for use in commercial business premises for large volume storage.

- **FIRE PROTECTION (DATA)** – Tested to EN 1047 – 1 S120dis standard, providing 120 minutes fire protection for computer backup tapes.
- **WATER RESISTANT** – Water resistant seals provide an airtight water resistant inner compartment for your computer media.
- **DROP TEST** – Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- **SECURITY PROTECTION** – Tested to the prestigious European EN1143-1 Grade 1 Security standard. Recommended Insurance rating of £10,000 cash or £100,000 valuables*.
- **LOCKING** – **DS4650K** – Fitted with a high security double bitted VdS class I key lock (2 keys supplied) – **DS4650E** – Fitted with a high security VdS class I electronic lock.
- **FITTINGS** – Each unit comes complete with height adjustable shelves and pull out media drawers.
- **FIXING** – Ready prepared for floor fixing, with fixing bolts for concrete supplied.
- **COLOUR** – Finished in a high quality scratch resistant Light Grey paint RAL7035.

| MODEL NUMBER | EXTERNAL DIMENSIONS H x W x D | INTERNAL DIMENSIONS H x W x D | HANDLE DEPTH | WEIGHT | CAPACITY | SHELVES/ DRAWERS | LTO | DAT | DLT | CD-ROM |
|--------------------------|----------------------------------|----------------------------------|--------------|--------|------------|---------------------|-----|------|-----|--------|
| DS4651K/E | 1143 x 800 x 730mm | 887 x 579 x 456mm | 42mm | 530kg | 234 Litres | 2/2 | 516 | 1140 | 276 | 1848 |
| DS4652K/E | 1300 x 800 x 730mm | 1044 x 579 x 456mm | 42mm | 600kg | 275 Litres | 3/2 | 602 | 1330 | 322 | 2156 |
| DS4653K/E | 1456 x 886 x 798mm | 1200 x 665 x 524mm | 42mm | 755kg | 418 Litres | 3/3 | 800 | 1984 | 536 | 2856 |
| Media Drawers (DS4651/2) | | 65 x 526 x 443 mm | - | 3kg | - | - | 86 | 190 | 46 | 308 |
| Media Drawers (DS4653) | | 65 x 612 x 511 mm | - | 3kg | - | - | 100 | 248 | 67 | 357 |



DS4650K

DS4650E

* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

SS0721 SERIES COMPACT HOME & OFFICE SAFES



SS0721EYD



SS0721EBD



SS0721EPD



OVERRIDE KEYS



SS0721K



SS0721E


THE SS0721 COLOUR SECURITY SAFES are ideal for use at home or in the office for storage of valuables and cash.

- **SECURITY PROTECTION** – Recommended for overnight cash cover of £1,000 cash or £10,000 valuables*.
- **LOCKING** – **SS0721E** – Simple to use with their advanced ‘user-friendly’ digital lock. **SS0721K** fitted with a high quality key-lock and comes complete with two keys.
- **CONSTRUCTION** – Twin live locking bolts and concealed internal hinges for increased security.
- **DEPOSIT SLOT** – Ideal for depositing coins & notes (SS0721EBD/EPD/EYD only).
- **SPECIAL FEATURES** – All electronic locking models are fitted with three internal key hooks.
- **FIXING** – Ready prepared for floor or wall fixing, supplied with bolts suitable for brick walls and concrete floors.
- **COLOUR** – Finished in a high quality scratch resistant paint. Available in a choice of black, blue, pink or yellow.



| MODEL NUMBER | COLOUR | DEPOSIT SLOT | EXTERNAL DIMENSIONS H x W x D | INTERNAL DIMENSIONS H x W x D | DOOR SWING | WEIGHT | CAPACITY |
|--------------|--------|--------------|----------------------------------|----------------------------------|------------|--------|----------|
| SS0721E | Black | No | 170 x 230 x 170mm | 168 x 228 x 120mm | 160mm | 3kg | 5 Litres |
| SS0721K | Black | No | 170 x 230 x 170mm | 168 x 228 x 120mm | 160mm | 3kg | 5 Litres |
| SS0721EBD | Blue | Yes | 170 x 230 x 170mm | 168 x 228 x 120mm | 160mm | 3kg | 5 Litres |
| SS0721EPD | Pink | Yes | 170 x 230 x 170mm | 168 x 228 x 120mm | 160mm | 3kg | 5 Litres |
| SS0721EYD | Yellow | Yes | 170 x 230 x 170mm | 168 x 228 x 120mm | 160mm | 3kg | 5 Litres |
| Deposit slot | - | - | - | 3 x 80 x 5mm | - | - | - |

Door aperture is reduced by 5mm due to frame.



SS0721K

SS0721E

* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

SS0800 SERIES VELA HOME & OFFICE SAFES



LED INTERNAL LIGHT
(E LOCK VERSION ONLY)



OVERRIDE KEYS

THE PHOENIX VELA SERIES is designed for use at home or in the office for storage of valuables, cash and important documents. With its high quality key-lock or user friendly electronic lock it is ideal for multiple applications.

- **SECURITY PROTECTION** – Recommended for overnight cash cover of £1,000 cash or £10,000 valuables.*
- **LOCKING** – **SS0800K** fitted with a high quality key-lock and comes complete with two keys. **SS0800E** has advanced 'user friendly' electronic locking with high quality anti-tamper or bounce solenoid locking system. For added peace of mind these safes are fitted with a key override facility (2 keys supplied).
- **SPECIAL FEATURES** – Internal width of **SS0803** makes it ideal for the storage of laptops up to 17".
- **LIGHTING** – The electronic locking versions of the Vela range all come fitted with a bright LED interior light so that contents can easily be seen, even in the most dimly lit cupboards.
- **CONSTRUCTION** – Twin live locking bolts and concealed internal hinges for increased security.
- **FIXING** – Ready prepared for fixing to the floor or wall, with fixing bolts supplied for brick walls or concrete floors.
- **COLOUR** – Finished in a high quality scratch resistant Metallic Graphite paint.

| MODEL NUMBER | EXTERNAL DIMENSIONS H x W x D | INTERNAL DIMENSIONS H x W x D | DOOR SWING | WEIGHT | CAPACITY | SHELVES |
|--------------|----------------------------------|----------------------------------|------------|--------|-----------|---------|
| SS0801K/E | 200 x 310 x 200mm | 195 x 305 x 160mm | 215mm | 6kg | 10 Litres | 0 |
| SS0802K/E | 250 x 350 x 250mm | 240 x 340 x 210mm | 260mm | 8kg | 17 Litres | 1 |
| SS0803K/E | 250 x 450 x 365mm | 240 x 440 x 325mm | 355mm | 12kg | 34 Litres | 1 |
| SS0804K/E | 500 x 350 x 310mm | 495 x 345 x 300mm | 262mm | 19kg | 51 Litres | 1 |
| SS0805K/E | 560 x 370 x 445mm | 556 x 366 x 435mm | 290mm | 23kg | 88 Litres | 1 |



SS0800K



SS0800E




SS0803



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

SS0100 SERIES RHEA ELECTRONIC SAFES



LED INTERNAL LIGHT



OVERRIDE KEYS

THE RHEA SECURITY SAFE RANGE is ideal for use at home, office or in hotel rooms for storage of cash and valuables. The SS0103E is suitable for a 17" Laptop.

- **SECURITY PROTECTION** – Recommended for £1,000 cash or £10,000 valuables storage*.
- **LOCKING** – Fitted with a high quality electronic lock programmable with user and master codes. An LCD display shows time, date and lock status. The lock can also display the last 45 openings of the safe for extra security in office or hotel use.
These safes are fitted with an override key-lock system should the user lock the safe out or forget the codes. The safe comes with two radial pin tumbler keys for the override system.
- **SPECIAL FEATURES** – Internal width of SS0103E makes it ideal for the storage of laptops up to 17".
- **LIGHTING** – Fitted with a bright LED interior light so that contents can easily be seen, even in the most dimly lit cupboards.
- **FIXING** – Ready prepared for floor or wall mounting (supplied with bolts suitable for brick walls or concrete floors).
- **FITTINGS** – Supplied with fitted shelf unit (except SS0101E) allowing you to better organise your contents.
- **COLOUR** – Finished in a high quality scratch resistant colour Graphite Grey.

| MODEL NUMBER | EXTERNAL DIMENSIONS H x W x D | INTERNAL DIMENSIONS H x W x D | DOOR SWING | WEIGHT | CAPACITY | SHELVES |
|--------------|----------------------------------|----------------------------------|------------|--------|-----------|---------|
| SS0101E | 200 x 310 x 200mm | 195 x 305 x 160mm | 215mm | 5kg | 10 Litres | 0 |
| SS0102E | 250 x 350 x 250mm | 240 x 340 x 210mm | 260mm | 8kg | 17 Litres | 1 |
| SS0103E | 250 x 450 x 365mm | 240 x 440 x 325mm | 355mm | 12kg | 34 Litres | 1 |
| SS0104E | 500 x 350 x 310mm | 495 x 345 x 300mm | 262mm | 19kg | 51 Litres | 1 |
| SS0105E | 560 x 370 x 445mm | 556 x 366 x 435mm | 290mm | 23kg | 88 Litres | 1 |



SS0103E

* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



OVERRIDE KEYS



SS0201F



SS0202F



SS0203F

THE NESO SERIES OF ELECTRONIC FINGERPRINT LOCKING SAFES are ideal for use at home or in the office for the storage of cash or valuables.

- **SECURITY PROTECTION** – Recommended for £1,000 cash or £10,000 valuables storage*.
- **LOCKING** – Fitted with a high quality electronic Biometric lock programmable with up to 20 individual fingerprints. LED lights show the status of the lock and batteries.
These safes are fitted with an override key-lock system should the user lock the safe out or forget the codes. The safe comes with two radial pin tumbler keys for the override system.
- **FIXING** – Ready prepared for floor or wall mounting (supplied with bolts suitable for brick walls or concrete floors).
- **FITTINGS** – Supplied with a fitted shelf unit allowing you to better organise your contents.
- **COLOUR** – Finished in a high quality scratch resistant Jet Black paint RAL9005.

| MODEL NUMBER | EXTERNAL DIMENSIONS H x W x D | INTERNAL DIMENSIONS H x W x D | DOOR SWING | WEIGHT | CAPACITY | SHELVES |
|--------------|----------------------------------|----------------------------------|------------|--------|-----------|---------|
| SS0201F | 250 x 350 x 250mm | 245 x 345 x 190mm | 310mm | 9kg | 16 Litres | 1 |
| SS0202F | 300 x 380 x 300mm | 295 x 375 x 240mm | 340mm | 13kg | 26 Litres | 1 |
| SS0203F | 500 x 350 x 310mm | 495 x 345 x 250mm | 310mm | 17kg | 42 Litres | 1 |



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

SS0300 SERIES DIONE HOTEL & LAPTOP SAFES



SS0301E



SS0302E



SS0311E



SS0312E

THE PHOENIX DIONE SERIES are ideal for hotel, residential or business use, for the storage of tablets, laptops, cash and valuables.

- **SECURITY PROTECTION** - Recommended for £1,000 cash or £10,000 valuables storage*.
- **LOCKING** – **SS0301E & 2E** are fitted with an advanced 'user friendly' electronic lock with high security anti-tamper or bounce solenoid locking system. For added peace of mind these safes are fitted with a key override facility and Master code facility. **SS0311E & 12E** are fitted with a high security motorized electronic lock, programmable with user and mastercodes. An LED display shows lock status. The lock can also be specified with an optional audit trail reader that can display or print the last 200 openings of the safe. This provides extra security in hotel and office use. For added peace of mind these safes are fitted with a key override facility.
- **SPECIAL FEATURES** – Fitted with a bright LED interior light so that contents can easily be seen, even in the most dimly lit cupboards. The internal width of these (excluding SS0301E) makes it ideal for the storage of widescreen laptops.
- **FIXING** – Ready prepared for floor or wall mounting (supplied with bolts suitable for brick walls or concrete floors).
- **OPTIONAL** – Internal USB & plug charging facility. Call for further details.*
- **COLOUR** – Finished in a high quality scratch resistant Metallic Graphite paint.
- ✚ Can be supplied with an anti-bacterial paint for easy cleaning (minimum order requirement).

| MODEL NUMBER | EXTERNAL DIMENSIONS H x W x D | INTERNAL DIMENSIONS H x W x D | DOOR SWING | WEIGHT | CAPACITY | SHELVES |
|--------------|-------------------------------|-------------------------------|------------|--------|-----------|---------|
| SS0301E | 250 x 350 x 250mm | 247 x 347 x 190mm | 310mm | 8.5kg | 16 Litres | 1 |
| SS0302E | 250 x 450 x 365mm | 247 x 447 x 305mm | 410mm | 11.5kg | 33 Litres | 1 |
| SS0311E | 200 x 520 x 406mm | 197 x 517 x 346mm | 473mm | 13kg | 35 Litres | 0 |
| SS0312E | 250 x 450 x 365mm | 247 x 447 x 305mm | 403mm | 12.5kg | 33 Litres | 1 |



*Only available on factory orders.



OVERRIDE KEYS



(Excludes SS0301E)

* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



SS1161K



SS1163



SS1164E



SS1162K

THE PHOENIX SECURSTORE SS1160 Series is ideal for any retail environment, providing secure storage of stock, till drawers, cash boxes, mobile phones, cigarettes, weapons etc.

- **SECURITY PROTECTION** – Recommended for overnight cash cover of £3,000 cash or £30,000 valuables.
- **LOCKING** – **SS1160K** – Fitted with a high security double bitted VDS class I key lock supplied with 2 keys. **SS1160E** – Fitted with an advanced high security electronic lock with clear LED display, dual control, hidden code & scrambled code that can be programmed as standard. **SS1160F** – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, internal alarm, dual control, hidden code and scrambled code that can be programmed as standard with up to 128 fingerprints.
- **CONSTRUCTION** – 4mm steel body and door, 3 way boltwork protected by anti-drill plates.
- **SPECIAL FEATURES** – High capacity lightweight secure storage. Internal width allows for easy storage of till drawers.
- **FIXING** – Ready prepared for fixing to the floor or wall, with fixing bolts supplied for brick walls or concrete floors.
- **COLOUR** – Finished in a high quality scratch resistant paint RAL9003 White.

| MODEL NUMBER | EXTERNAL DIMENSIONS H x W x D | INTERNAL DIMENSIONS H x W x D | WEIGHT | CAPACITY | SHELVES |
|--------------|----------------------------------|----------------------------------|--------|------------|---------|
| SS1161K/E/F | 500 x 570 x 500mm | 492 x 562 x 430mm | 70kg | 119 Litres | 1 |
| SS1162K/E/F | 1000 x 570 x 500mm | 996 x 562 x 430mm | 124kg | 240 Litres | 2 |
| SS1163K/E/F | 1600 x 570 x 500mm | 1592 x 562 x 430mm | 181kg | 385 Litres | 3 |
| SS1164K/E/F | 1900 x 570 x 500mm | 1892 x 562 x 430mm | 212kg | 457 Litres | 4 |



SS1160K



SS1160E



SS1160F



SS1160F



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

SS1170 SERIES LYNX



SS1171E


SS1173

SS1172K

THE PHOENIX LYNX SERIES is designed for use in domestic and commercial premises for the protection of cash, valuables and documents.

- **SECURITY PROTECTION** – Recommended for overnight cash cover of £3,000 cash or £30,000 valuables.* Designed to conform to the prestigious German VDMA 24992 standard.
- **LOCKING** – **SS1170K** – Fitted with a high security double bitted VdS class I key lock. **SS1170E** – Fitted with a high security VdS class I electronic lock with time delay function.
- **CONSTRUCTION** – Double wall construction with anti-drill plates and re-locker protection for the door provide a safe of great strength. The door is secured by twin live locking bolts and concealed internal hinges for added security.
- **FIXING** – Ready prepared for floor and wall fixing, with fixing bolts for brick walls and concrete floors supplied.
- **COLOUR** – Finished in a high quality scratch resistant Metallic Graphite paint.

| MODEL NUMBER | EXTERNAL DIMENSIONS H x W x D | INTERNAL DIMENSIONS H x W x D | DOOR SWING | WEIGHT | CAPACITY | SHELVES |
|--------------|----------------------------------|----------------------------------|------------|--------|-----------|---------|
| SS1171K/E | 280 x 350 x 300mm | 200 x 275 x 210mm | 295mm | 20kg | 11 Litres | 1 |
| SS1172K/E | 300 x 420 x 380mm | 225 x 345 x 290mm | 365mm | 29kg | 22 Litres | 1 |
| SS1173K/E | 605 x 420 x 380mm | 530 x 345 x 285mm | 365mm | 48kg | 52 Litres | 1 |



SS1170K

SS1170E

* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



SS1181K

SS1184E


SS1185E

SS1183K

SS1182E

THE PHOENIX FORTRESS SS1180 series is designed and tested to the latest and prestigious European EN14450 – S2 test standards for Security Protection.

- **SECURITY PROTECTION** – Tested to the prestigious European S2 Security standard (EN14450 – ECB.S Certified) giving cash cover of £4,000 or Valuables cover of £40,000*.
- **APPROVALS** – UK Police approved (Secured by Design scheme) and the Association of Insurance Surveyors (AiS).
- **LOCKING** – **SS1180K** – Fitted with a high security double bitted VdS class I key lock. **SS1180E** – Fitted with a high security VdS class I electronic lock with time delay function.
- **CONSTRUCTION** – Double wall construction with anti drill plates and re-locker protection for the door provide a safe of great strength.
- **FIXING** – Ready prepared for floor or wall fixing, with fixing bolts for concrete floors or brick walls supplied.
- **COLOUR** – Finished in a high quality scratch resistant White paint RAL9003.


 Suitable for storage of controlled drugs whose active ingredients do not exceed 500 grams.

| MODEL NUMBER | EXTERNAL DIMENSIONS H x W x D | INTERNAL DIMENSIONS H x W x D | DOOR SWING | WEIGHT | CAPACITY | SHELVES | LEVER ARCH FOLDER | FOOLSCAP LEVER ARCH FOLDER | FOOLSCAP BOX FILE |
|--------------|----------------------------------|----------------------------------|------------|--------|-----------|---------|--|---|---|
| | | | | | | | (H320xW75x290mm) Total no. of file per unit | (H350xW80xD285mm) Total no. of file per unit | (H370xW75xD245mm) Total no. of file per unit |
| SS1181K/E | 220 x 350 x 300mm | 140 x 270 x 190mm | 283mm | 15kg | 7 Litres | 1 | 0 | 0 | 0 |
| SS1182K/E | 350 x 450 x 350mm | 270 x 365 x 240mm | 382mm | 25kg | 24 Litres | 1 | 0 | 0 | 0 |
| SS1183K/E | 550 x 450 x 350mm | 470 x 365 x 240mm | 382mm | 37kg | 42 Litres | 2 | 4 | 4 | 4 |
| SS1184K/E | 805 x 445 x 400mm | 715 x 360 x 290mm | 382mm | 54kg | 74 Litres | 2 | 8 | 8 | 4 |
| SS1185K/E | 1000 x 440 x 400mm | 915 x 360 x 300mm | 382mm | 65kg | 99 Litres | 2 | 8 | 8 | 8 |



SS1180K

SS1180E



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

SS1190 SERIES CITADEL



SS1191E


SS1193K

SS1192

THE PHOENIX CITADEL SS1190 series is designed and tested to the latest and prestigious European test standards for both Fire and Security Protection.

- **SECURITY PROTECTION** – Tested to the prestigious European S2 Security standard (EN14450 ECB.S Certified) giving cash cover of £4,000 or valuables cover of £40,000*.
 - **APPROVALS** – UK Police approved (Secured by Design scheme) and the Association of Insurance Surveyors (AiS).
 - **FIRE PROTECTION** – Tested to the European LFS 30P Fire protection standard (EN15659 ECB.S Certified) giving 30 minutes fire protection for paper documents.
 - **FIXING** – Ready prepared for floor fixing, with fixing bolts for concrete supplied.
 - **LOCKING** – **SS1190K** – Fitted with a high security double bitted VdS class I key lock. **SS1190E** – Fitted with a high security VdS class I electronic lock with time delay function.”
 - **CONSTRUCTION** – Double wall construction with high grade concrete infill to provide both fire and burglary protection. Wall thickness of 56mm, door thickness 92mm with anti drill plates.
 - **COLOUR** – Finished in a high quality scratch resistant White paint RAL9003.
- + Suitable for storage of controlled drugs whose active ingredients do not exceed 500 grams.

| MODEL NUMBER | EXTERNAL DIMENSIONS H x W x D | INTERNAL DIMENSIONS H x W x D | DOOR SWING | WEIGHT | CAPACITY | SHELVES | LEVER ARCH FOLDER | FOOLSCAP LEVER ARCH FOLDER | FOOLSCAP BOX FILE |
|--------------|----------------------------------|----------------------------------|------------|--------|-----------|---------|--|---|---|
| | | | | | | | (H320xW75x290mm) Total no. of file per unit | (H350xW80xD285mm) Total no. of file per unit | (H370xW75xD245mm) Total no. of file per unit |
| SS1191K/E | 315 x 445 x 450mm | 185 x 334 x 290mm | 395mm | 55kg | 18 Litres | 1 | 2 files on side | 0 | 0 |
| SS1192K/E | 460 x 440 x 450mm | 330 x 329 x 290mm | 395mm | 71kg | 31 Litres | 1 | 4 files on side | 0 | 0 |
| SS1193K/E | 950 x 440 x 450mm | 820 x 329 x 290mm | 395mm | 126kg | 78 Litres | 2 | 8 (2 rows of 4 files) | 8 (2 rows of 4 files) | 4 (1 row of 4 files) |



SS1190K

SS1190E


* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



THE PHOENIX VENUS HS0650 & NEPTUNE HS1050 SERIES are designed to provide extreme security protection for domestic and business use.

- **SECURITY PROTECTION** – Tested to the prestigious European EN1143-1 Security standard. ECB.S Certified Grade 0 & I. **VENUS** – (Grade 0) has a recommended Insurance rating of £6,000 cash or £60,000 valuables*. **NEPTUNE** – (Grade I) has a recommended Insurance rating of £10,000 cash or £100,000 valuables*.
 - **APPROVALS** – UK Police approved (Secured by Design scheme) and the Association of Insurance Surveyors (AiS).
 - **FIRE PROTECTION** – Tested to the European LFS 30P fire protection standard (EN15659 ECB.S Certified) giving 30 minutes fire protection for paper records. **HS0656 & HS1056** – Tested to the European LFS 60P fire protection standard (EN15659 ECB.S Certified) giving 60 minutes fire protection for paper records.
 - **KEY LOCKING** – Fitted with high security double bitted VdS class I key lock.
 - **ELECTRONIC LOCKING** – Fitted with high security VdS class II electronic lock with dual control, master code & time delay.
 - **FIXING** – Ready prepared for floor fixing, with fixing bolts for concrete supplied.
 - **CONSTRUCTION** – 3 way 24mm diameter locking bolts, double wall construction with specially formulated concrete infill, anti-drill plates and re-locker protection, provide a safe of great strength.
 - **COLOUR** – Finished in a high quality scratch resistant Graphite Grey paint RAL7024.
- + Suitable for storage of controlled drugs whose active ingredients exceed 500 grams.

| MODEL NUMBER | EXTERNAL DIMENSIONS H x W x D | INTERNAL DIMENSIONS H x W x D | DOOR SWING / HANDLE DEPTH | WEIGHT | CAPACITY | SHELVES | | |
|---------------------|----------------------------------|----------------------------------|------------------------------|--------|------------|---|--|---|
| | | | | | | LEVER ARCH FOLDER (H320xW75xD290mm) Total no.of file per unit | FOOLSCAP LEVER ARCH FOLDER (H350xW80xD285mm) Total no.of file per unit | FOOLSCAP BOX FILE (H370xW75xD245mm) Total no.of file per unit |
| HS0651K/E HS1051K/E | 340 x 500 x 345mm | 262 x 424 x 216mm | 475/40mm | 104kg | 24 Litres | 1 | 0 | 0 |
| HS0652K/E HS1052K/E | 440 x 500 x 432mm | 362 x 424 x 302mm | 475/40mm | 141kg | 46 Litres | 1 | 5 | 0 |
| HS0653K/E HS1053K/E | 900 x 440 x 430mm | 822 x 364 x 300mm | 415/40mm | 230kg | 90 Litres | 2 | 8 | 8 |
| HS0654K/E HS1054K/E | 840 x 650 x 550mm | 765 x 574 x 420mm | 626/40mm | 320kg | 184 Litres | 2 | 14 | 14 |
| HS0655K/E HS1055K/E | 1240 x 650 x 554mm | 1163 x 574 x 424mm | 626/40mm | 452kg | 283 Litres | 2 | 21 | 21 |
| HS0656K/E HS1056K/E | 1950 x 940 x 585mm | 1760 x 800 x 392mm | 613/40mm | 658kg | 553 Litres | 4 | 50 | 40 |



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

HS2050/HS3550 SERIES MERCURY/ELARA



THE PHOENIX MERCURY HS2050 & ELARA HS3550 SERIES are designed to provide extreme security protection for domestic and business use.

- **SECURITY PROTECTION** – Tested to the prestigious European EN1143-1 Security standard. ECB.S Certified Grade II & III. **MERCURY** – (Grade II) has a recommended Insurance rating of £17,500 cash or £175,000 valuables*. **ELARA** – (Grade III) has a recommended Insurance rating of £35,000 cash or £350,000 valuables*.
- **APPROVALS** – UK Police approved (Secured by Design scheme) and the Association of Insurance Surveyors (AiS).
- **FIRE PROTECTION** – Tested to the European LFS 30P fire protection standard (EN15659 ECB.S Certified) giving 30 minutes fire protection for paper records.
- **KEY LOCKING** – Fitted with high security double bitted VdS class I key lock.

- **ELECTRONIC LOCKING** – Fitted with high security VdS class II electronic lock with dual control, master code & time delay.
- **FIXING** – Ready prepared for floor or wall fixing, with fixing bolts supplied for concrete floors or brick walls.
- **CONSTRUCTION** – 3 way angular locking bolts, double wall construction with specially formulated concrete infill, anti-drill plates and re-locker protection, provide a safe of great strength.
- **COLOUR** – Finished in a high quality scratch resistant Graphite Grey paint RAL7024.
- ✚ Suitable for storage of controlled drugs whose active ingredients exceed 500 grams.

| MODEL NUMBER | EXTERNAL DIMENSIONS H x W x D | INTERNAL DIMENSIONS H x W x D | DOOR SWING / HANDLE DEPTH | WEIGHT | CAPACITY SHELVES | LEVER ARCH FOLDER | FOOLSCAP LEVER ARCH FOLDER | FOOLSCAP BOX FILE |
|---------------------|----------------------------------|----------------------------------|---------------------------|-----------|------------------|--|---|---|
| | | | | | | (H320xW75x290mm) Total no. of file per unit | (H350xW80xD285mm) Total no. of file per unit | (H370xW75xD245mm) Total no. of file per unit |
| HS2051K/E HS3551K/E | 550 x 520 x 500mm | 438 x 406 x 315mm | 485mm/40mm | 229/245kg | 56 Litres | 1 | 5 | 5 |
| HS2052K/E HS3552K/E | 650 x 520 x 500mm | 538 x 406 x 315mm | 485mm/40mm | 260/280kg | 69 Litres | 1 | 5 | 5 |
| HS2053K/E HS3553K/E | 970 x 520 x 500mm | 858 x 406 x 315mm | 485mm/40mm | 357/383kg | 110 Litres | 2 | 10 | 10 |
| HS2054K/E HS3554K/E | 1280 x 650 x 500mm | 1168 x 536 x 315mm | 615mm/40mm | 527/567kg | 197 Litres | 3 | 21 | 21 |
| HS2055K/E HS3555K/E | 1630 x 860 x 500mm | 1498 x 726 x 303mm | 815mm/40mm | 856/920kg | 330 Litres | 4 | 36 | 36 |
| HS2056K/E HS3556K/E | 1490 x 860 x 620mm | 1358 x 726 x 423mm | 815mm/40mm | 874/957kg | 417 Litres | 3 | 36 | 27 |



HS2050K

HS2050E

* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

HS6070/HS9070 SERIES PLANET/COSMOS



HS6071E

HS6073K

HS6076E

HS9072K

HS9074E

HS9075K

THE PHOENIX PLANET HS6070 & COSMOS HS9070 SERIES are designed to provide extreme security protection for domestic and business use.

- **SECURITY PROTECTION** – Tested to the prestigious European EN1143-1 Security standard. ECB.S Certified Grade IV & V.
PLANET – (Grade IV) has a recommended Insurance rating of £60,000 cash or £600,000 valuables*.
COSMOS – (Grade V) has a recommended Insurance rating of £100,000 cash or £1,000,000 valuables*.
- **APPROVALS** – UK Police approved (Secured by Design scheme) and the Association of Insurance Surveyors (Ais).
- **FIRE PROTECTION** – Tested to the European LFS 30P fire protection standard (EN15659) giving 30 fire protection for paper documents.
- **KEY LOCKING** – Fitted with 2 high security double bitted VdS Class II key locks.
- **ELECTRONIC LOCKING** – Fitted with a high security VdS Class II electronic lock with dual control, master code & time delay and a high security double bitted VdS Class II key lock.
- **FIXING** – Ready prepared for floor or wall fixing, with fixing bolts supplied for concrete floors or brick walls.
- **CONSTRUCTION** – 3 way angular locking bolts, double wall construction with specially formulated concrete infill, anti-drill plates and re-locker protection, provide a safe of great strength.
- **COLOUR** – Finished in a high quality scratch resistant Grey paint RAL7024.



Suitable for storage of controlled drugs whose active ingredients exceed 500 grams.

| MODEL NUMBER | EXTERNAL DIMENSIONS H x W x D | INTERNAL DIMENSIONS H x W x D | DOOR SWING / HANDLE DEPTH | WEIGHT | CAPACITY | SHELVES | | | |
|--------------|----------------------------------|----------------------------------|---------------------------|--------|------------|---|---|--|----|
| | | | | | | LEVER ARCH FOLDER (H320xW75x290mm) Total no. of file per unit | FOOLSCAP LEVER ARCH FOLDER (H350xW80xD285mm) Total no. of file per unit | FOOLSCAP BOX FILE (H370xW75xD245mm) Total no. of file per unit | |
| HS6071K/E | 580 x 580 x 545mm | 468 x 467 x 360mm | 545mm/50mm | 328kg | 80 Litres | 1 | 6 | 5 | 6 |
| HS6072K/E | 680 x 580 x 545mm | 568 x 467 x 360mm | 545mm/50mm | 372kg | 100 Litres | 1 | 6 | 5 | 6 |
| HS6073K/E | 850 x 580 x 545mm | 738 x 467 x 360mm | 545mm/50mm | 445kg | 129 Litres | 1 | 12 | 10 | 6 |
| HS6074K/E | 1210 x 580 x 545mm | 1098 x 467 x 360mm | 545mm/50mm | 596kg | 190 Litres | 2 | 18 | 15 | 12 |
| HS6075K/E | 1310 x 670 x 545mm | 1197 x 555 x 360mm | 625mm/50mm | 695kg | 246 Litres | 3 | 21 | 18 | 21 |
| HS6076K/E | 1210 x 860 x 655mm | 1097 x 744 x 470mm | 815mm/50mm | 855kg | 395 Litres | 2 | 27 | 27 | 18 |
| HS9071K/E | 690 x 690 x 690mm | 528 x 525 x 425mm | 637mm/50mm | 645kg | 121 Litres | 1 | 7 | 6 | 7 |
| HS9072K/E | 850 x 690 x 690mm | 688 x 525 x 425mm | 637mm/50mm | 757kg | 154 Litres | 1 | 14 | 6 | 7 |
| HS9073K/E | 1020 x 690 x 690mm | 858 x 525 x 425mm | 637mm/50mm | 875kg | 218 Litres | 2 | 14 | 12 | 14 |
| HS9074K/E | 1330 x 690 x 690mm | 1168 x 525 x 425mm | 637mm/50mm | 1094kg | 295 Litres | 3 | 21 | 18 | 21 |
| HS9075K/E | 1520 x 690 x 690mm | 1358 x 525 x 425mm | 637mm/50mm | 1250kg | 342 Litres | 3 | 28 | 18 | 21 |



PLANET




COSMOS



HS6070K
HS9070K



HS6070E
HS9070E



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

SL0020 SERIES STORAGE LOCKERS



SL0024E



SL0024E



SL0024E



SL0026

THE PHOENIX STORAGE LOCKERS are designed to provide multiple storage facilities in a single unit. Each locker is controlled via the keypad or with a proximity card reader. Ideal for offices, hotels, public places for the storage of mobile phone, tablets etc.

- **SL0024E** – The master unit with the electronic control panel and 24 storage lockers.
- **SL0026** – An accessory unit that can be connected to the SL0024E to provide an additional 26 storage lockers.
- **LOCKING** – Each numbered locker is equipped with an electro-mechanic latch lock, controlled from the terminal on the SL0024E which has a clear LCD display and operated by a 4 digit pin code or RFID card. Fitted with a central locking bar (2 keys supplied) for technical access and locker management.
- **SPECIAL FEATURES** – Supplied with a mains power cable and a built-in battery providing up to 8 hours working time.
- **INTERNAL CHARGING** – Optional (SP0020 USB) internal charging facility via 2 USB ports. Ideal for mobile phones & tablets.
- **FIXING** – Ready prepared for wall fixing, with fixing bolts for brick walls supplied.
- **LOCKERS** – **SL0024E** – has 24 deposit lockers. **SL0026** – has 26 deposit lockers. The main deposit lockers are 105H x 320W x 430Dmm. The lower two deposit lockers can be used for storing larger items such as parcels or laptops and are 375H x 320W x 430Dmm.
- **CONSTRUCTION** – 1.2mm thick front panel and body.
- **COLOUR** – Available in a colour of your choice. RAL Code required.

| MODEL NUMBER | EXTERNAL DIMENSIONS H x W x D | LOCKER DIMENSIONS H x W x D | DIMENSIONS OF LOWER LOCKERS | NUMBER OF LOCKERS | WEIGHT |
|------------------------------|----------------------------------|--------------------------------|--------------------------------|----------------------|--------|
| SL0024E with terminal | 1930 x 800 x 450mm | 105 x 320 x 430mm | 375 x 320 x 430mm | 24 | 125kg |
| SL0026 additional section | 1930 x 800 x 450mm | 105 x 320 x 430mm | 375 x 320 x 430mm | 26 | 122kg |



Suitable for:

- Airports
- Supermarkets
- Shopping malls
- Transport hubs
- Self Storage Centres
- Hotels
- Libraries
- Banks
- Building Societies
- Offices



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



PHOENIX SAFES ARE PROUD TO OFFER A COMPLETE RANGE OF PREFABRICATED STRONG-ROOMS. The vaults are designed to meet the exacting standards of the banking industry, pharmaceutical manufacturers and suppliers, safe deposit centres and any situation where tested and certified protection is required.

- Phoenix strong-rooms come in pre-constructed panels normally 500mm wide and prescribed length. These are welded or bolted together once on site to form a five or six sided construction. This enables the strong-room to be positioned often in confined areas, even on an upper floor or basement. Vaults can also be extended or moved as requirements change.
- The Phoenix range of vault doors are tested and certified to conform with EN 1143-1 european standards of burglary resistance. Available from grade III up to grade XI they provide the perfect partner for our demountable strong-rooms. They can also be supplied to fit into pre built or purposely constructed vault.
- The standard size allows a free opening of 1000mm wide by 2000mm high. However, bespoke sizes are available to accommodate large forklifts or wide pallets achieving heights in excess of four metres if required.
- To accompany our vault doors we supply grille gates to suit. Emergency doors are also available in smaller sizes.
- To obtain certification the vault must be a six-sided construction the exception to this is a controlled drugs installation where a five sided construction is permissible with the correct anchoring system on the floor.
- The protection is completed by a strong-room door of commensurate quality to the vault. In larger installations a second or emergency door are often prescribed.
- Phoenix offer a complete design and build service to our customers, including guidance as to the correct locks to secure your strong-room.



PANDORA SERIES SAFETY DEPOSIT LOCKERS




PHOENIX SAFES MANUFACTURE AND INSTALL A COMPLETE RANGE OF SAFETY DEPOSIT BOXES TO SUIT OUR CLIENT'S REQUIREMENTS.

- The safe deposit boxes are available in a large number of different sizes and are designed to fit within our prefabricated strong rooms, ideally to a European grade of at least EN 1143-1 VIII EX CD they can also be used as an attractive stand-alone unit in hotel reception areas.
- Range includes tested and certified design with the stringent Swedish test SSF1048-2.
- Our range which includes both stainless steel or brushed aluminium lockers can be electronically controlled and monitored meaning you can provide a complete self-service facility for your customer without the need for staff presence within the vault.
- Lockers can be accessed via card, pin or biometric methods and customers details are stored on bespoke software that manages your database along Financial Conduct Authority (FCA) guidelines and can be connected to standard accounts packages enabling the simple management of annual billing and renewals.
- Phoenix safe have in-house expertise to help you design and build your safe deposit centre or extend your existing installations.



SS0800 SERIES VELA DEPOSIT HOME & OFFICE SAFES



LED INTERNAL LIGHT
(ED LOCK VERSION ONLY)




OVERRIDE KEYS

THE PHOENIX VELA DEPOSIT SERIES is designed for use at home or in the office for storage of valuables, cash and important documents. With its high quality key-lock or user friendly electronic lock it is ideal for multiple applications.

- **SECURITY PROTECTION** – Recommended for overnight cash cover of £1,000 cash or £10,000 valuables.*
- **LOCKING** – **SS0800KD** fitted with a high quality key-lock and comes complete with two keys. **SS0800ED** has advanced 'user friendly' electronic locking with high security anti-tamper or bounce solenoid locking system. For added peace of mind these safes are fitted with a key override facility (2 keys supplied).
- **SPECIAL FEATURES** – Internal width of SS0803 makes it ideal for the storage of laptops up to 17".
- **LIGHTING** – The electronic locking versions of the Vela range all come fitted with a bright LED interior light so that contents can easily be seen, even in the most dimly lit cupboards.
- **CONSTRUCTION** – Twin live locking bolts and concealed internal hinges for increased security.
- **DEPOSIT SLOT** – Fitted with a deposit slot with anti-fish baffle plate to ensure that the contents cannot be 'fished out'. Dimension 150 x 12mm.
- **FIXING** – Ready prepared for fixing to the floor or wall, with fixing bolts supplied for brick walls or concrete floors.
- **COLOUR** – Finished in a high quality scratch resistant Metallic Graphite paint.

| MODEL NUMBER | EXTERNAL DIMENSIONS H x W x D | INTERNAL DIMENSIONS H x W x D | DOOR SWING | WEIGHT | CAPACITY | SHELVES |
|--------------|----------------------------------|----------------------------------|------------|--------|-----------|---------|
| SS0801KD/ED | 200 x 310 x 200mm | 195 x 305 x 160mm | 215mm | 6kg | 10 Litres | 0 |
| SS0802KD/ED | 250 x 350 x 250mm | 240 x 340 x 210mm | 260mm | 8kg | 17 Litres | 1 |
| SS0803KD/ED | 250 x 450 x 365mm | 240 x 440 x 325mm | 355mm | 12kg | 34 Litres | 1 |
| SS0804KD/ED | 500 x 350 x 310mm | 495 x 345 x 300mm | 262mm | 19kg | 51 Litres | 1 |
| SS0805KD/ED | 560 x 370 x 445mm | 556 x 366 x 435mm | 290mm | 23kg | 88 Litres | 1 |



SS0800KD

SS0800ED

SS0803



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

PHOENIX SS0991 UNDER COUNTER NOTE DEPOSIT SAFE



The SS0991KD is ideal for retail environments where there is a need to safely store notes from the till drawer, without staff having access. The unit is also portable so that it can be unlocked from the counter and taken to the cash office for secure sorting.



- **LOCKING** – Fitted with two key locks each and supplied with two keys. One lock secures the unit to the base tray, the second lock releases the stored notes.
- **DEPOSIT FACILITY** – Note deposit facility (Not suitable for coins).
- **SPECIAL FEATURES** – Under counter mounting plate with key release. Allows unit to be removed from the counter and emptied in a secure cash room.
- **CONSTRUCTION** – Constructed of solid steel plate.
- **FIXING** – Supplied with a fixing plate and fixings to secure under a counter.
- **COLOUR** – Finished in a high quality scratch resistant White paint RAL9003.



PHOENIX SS0992 CASHIER DAY DEPOSIT SAFE

Front Loading Cashier Day Deposit safe for cash management. Ideal for under counter locations, allowing the safe deposit of cash from a till drawer.

- **SECURITY PROTECTION** – Recommended for cash cover of £1,000 cash*.
- **LOCKING** – Fitted with a high security double bitted key lock supplied with two keys.
- **DEPOSIT FACILITY** – Fitted with a lockable deposit with Phoenix tilting baffle plate to ensure that the contents cannot be 'fished out'.
- **CONSTRUCTION** – Constructed of 6mm steel plate door and 2mm body.
- **FIXING** – Ready prepared for floor and wall fixing with bolts supplied.
- **COLOUR** – Finished in a high quality scratch resistant Metallic Graphite paint.



| MODEL NUMBER | EXTERNAL DIMENSIONS H x W x D | INTERNAL DIMENSIONS H x W x D | DEPOSIT SLOT DIMENSIONS H x W x D | WEIGHT | CAPACITY |
|--------------|----------------------------------|----------------------------------|--------------------------------------|--------|-----------|
| SS0991KD | 225 x 100 x 195mm | 175 x 95 x 120mm | 10 x 100 x 160mm | 2kg | 2 Litres |
| SS0992KD | 600 x 250 x 250mm | 380 x 240 x 210mm | 95 x 185 x 200mm | 17kg | 19 Litres |



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



Internal
Coffer



Overnight
Lockout Plate





FRONT LOADING CASHIER DEPOSIT SAFE for 24 hour cash management.

- **SECURITY PROTECTION** – Recommended for overnight cash cover of £3,000 cash or £30,000 valuables*.
- **LOCKING** – **SS0990KD** – Fitted with a high security VdS Class I key lock supplied with two keys.
SS0990ED – Fitted with a high security VdS class II electronic lock.
SS0990FD – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, internal alarm, dual control, hidden code and scrambled code that can be programmed as standard with up to 128 fingerprints.
- **DEPOSIT FACILITY** – Fitted with a special Phoenix baffle plate to ensure the contents cannot be fished out. Also features a night lockout plate for increased security during out of hours.
- **SPECIAL FEATURES** – SS0998 fitted with separate lockable coffer for added security.
- **CONSTRUCTION** – Constructed of 12mm steel plate door and 6mm body.
- **FIXING** – Ready prepared for floor fixing with fixing bolts for concrete supplied.
- **COLOUR** – Finished in a high quality scratch resistant Graphite Grey paint RAL7024.

| MODEL NUMBER | EXTERNAL DIMENSIONS H x W x D | INTERNAL DIMENSIONS H x W x D | DOOR SWING | WEIGHT | CAPACITY | HANDLE DEPTH |
|---------------------|----------------------------------|--|------------|--------|---|--------------|
| SS0996KD/ED/FD | 480 x 340 x 380mm | 448 x 328 x 323mm | 275mm | 54kg | 47 Litres | 50mm |
| DEPOSIT SLOT | - | 80 x 265 x 200mm | - | - | - | - |
| SS0997KD/ED/FD | 700 x 340 x 380mm | 646 x 328 x 323mm | 275mm | 68kg | 68 Litres | 50mm |
| DEPOSIT SLOT | - | 80 x 265 x 200mm | - | - | - | - |
| SS0998KD/ED/FD | 760 x 510 x 510mm | 315 x 495 x 415mm Main compartment 145 x 495 x 395mm Internal Coffer | 440mm | 130kg | 64 Litres Main Compartment 28 Litres Internal Coffer | 50mm |
| DEPOSIT SLOT SS0998 | - | 100 x 415 x 220mm | - | - | - | - |

Door aperture of SS0996ED and SS0997ED is reduced by 10mm due to frame and SS0998ED is reduced by 6mm.



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

HS1090 SERIES DIAMOND DEPOSIT



Secured by Design



Official Police Security Initiative



HS1090KD



HS1092KD



HS1093



HS1091ED

THE PHOENIX DIAMOND DEPOSIT SERIES are designed for the safe deposit of large quantities of cash, without the normal reduction in security protection that can be associated with deposit safes. Ideal for retail stores, garage forecourts, banks and financial institutes.

- **SECURITY PROTECTION** – Tested to the prestigious European EN1143-2:2014 Security standard, Grade D1 (ECB.S Certified) giving cash cover of £10,000 or valuables cover of £100,000.
- **APPROVALS:** UK Police approved (Secured by Design scheme) and the Association of Insurance Surveyors (AiS).
- **SAFE DOOR LOCKING** – **HS1090KD** - Fitted with a high security double bitted VdS class I key lock.
HS1090ED – Fitted with a high security VdS class II electronic lock.
- **DRAWER DEPOSIT** – High security pull out drawer deposit with special baffle drop system, for maximum security. Maximum deposit size H65mm x W205mm x D65mm. (Except HS1090).
- **CONSTRUCTION** – Double wall composite construction, anti drill plates and re-locker protection for the door provide a safe of great strength.
- **FIXING** – Ready prepared for floor fixing, with fixing bolts for concrete floors supplied.
- **COLOUR** – Finished in a high quality scratch resistant White paint RAL9003.
- + Suitable for storage of controlled drugs whose active ingredients exceed 500 grams.

| MODEL NUMBER | EXTERNAL DIMENSIONS H x W x D | INTERNAL DIMENSIONS H x W x D | DOOR SWING | WEIGHT | HANDLE DEPTH | CAPACITY | DEPOSIT DRAWER | SHELVES |
|--------------|----------------------------------|----------------------------------|------------|--------|--------------|------------|-------------------|---------|
| HS1090KD/ED | 670 x 440 x 550mm | 455 x 364 x 423mm | 272mm | 195kg | 45mm | 44 Litres | 104 x 289 x 121mm | 0 |
| HS1091KD/ED | 670 x 650 x 550mm | 435 x 573 x 423mm | 615mm | 264kg | 45mm | 112 Litres | 104 x 517 x 124mm | 0 |
| HS1092KD/ED | 840 x 650 x 550mm | 616 x 573 x 423mm | 615mm | 293kg | 45mm | 149 Litres | 104 x 517 x 124mm | 1 |
| HS1093KD/ED | 1040 x 650 x 550mm | 816 x 573 x 423mm | 615mm | 350kg | 45mm | 199 Litres | 104 x 517 x 124mm | 2 |



* The internal drawer reduces the internal height by 200mm.



HS1090KD



HS1090ED

* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

TARVOS UF0400 SERIES UNDERFLOOR SAFES (SQUARE DOOR)



UF0401K



UF0402K



UF0403KD

THE TARVOS KEY-LOCKING UNDERFLOOR SAFES have been designed to accommodate all of your security requirements in a concealed location, in a product that offers the highest protection from theft and burglary.

- **SECURITY PROTECTION** – Recommended cash cover of £4,000 or valuables cover of £40,000*.
- **LOCKING** – Fitted with a high security double-bitted Mauer 71111 key-retaining key-lock and supplied with two keys. The lock is protected by a hardened plate and the door is fitted with a spring-loaded front bolt and deadbolt for extra security.
- **SPECIAL FEATURES** – The UF0403KD is fitted with a deposit facility and comes complete with capsules that enable you to make deposits into the safe without needing to open the door. The deposit facility incorporates an anti-fish device to prevent retrieval through the deposit tube.
- **INTERIOR** – The Tarvos has a fully flocked interior to protect valuables from damage.
- **FIXING** – Fixing instructions are available to fit the unit into a concrete floor.
- **COLOUR** – Finished in a high quality scratch resistant Gold paint.



| MODEL NUMBER | EXTERNAL DIMENSIONS H x W x D | INTERNAL DIMENSIONS H x W x D | NECK DIMENSIONS H x W x D | DOOR OPENING W x D | WEIGHT | CAPACITY |
|--------------|----------------------------------|----------------------------------|------------------------------|-----------------------|--------|-----------|
| UF0401K | 343 x 252 x 252mm | 226 x 226 x 226mm | 111 x 215 x 215mm | 170 x 170mm | 16kg | 11 Litres |
| UF0402K | 414 x 322 x 322mm | 295 x 295 x 295mm | 111 x 215 x 215mm | 170 x 170mm | 21kg | 25 Litres |
| UF0403KD | 414 x 322 x 322mm | 295 x 295 x 295mm | 111 x 215 x 215mm | 170 x 170mm | 23kg | 25 Litres |



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

CHARON UF0500 SERIES UNDERFLOOR SAFES (ROUND DOOR)



UF0563K / UF0513K

UF0562K / UF0512K

UF0561K / UF0511K

UF0564KD / UF0514KD

UF0565KD / UF0515KD

THE PHOENIX CHARON SERIES OF UNDERFLOOR SECURITY SAFES has been designed to meet the requirements for a secure yet hidden safe, and comes with 2 different cash cover options.

- **SECURITY PROTECTION** – The UF0560 series is available in three sizes, 8 inch, 10 inch and 12 inch cubes, and each unit comes fitted with a 26mm thick stainless steel door, and gives a £6,000 cash or £60,000 valuables cover*. The UF0510 series comes fitted with a 31mm thick stainless steel door, and gives a £10,000 cash or £100,000 valuables cover*.
- **LOCKING** – The safe doors are manufactured from stainless steel and incorporate ceramic inserts. Supplied as standard with a high security double-bitted Mauer 71111 key-retaining key-lock and supplied with two keys.
- **CONSTRUCTION** – An A.B.S. neck engages into the steel collar to allow 111mm of concrete protection over the top plate.
- **FINISH** – The safe body is constructed from high quality steel with continuously welded seams, and comes finished in attractive Red paint.
- **WATERPROOF** – A special water resistant dust cover fits tightly onto the neck.
- **SPECIAL FEATURES – UD0500KD** – Come complete with a deposit facility that incorporates an anti-fish device to prevent retrieval through the deposit tube.
- **COLOUR** – Finished in a high quality scratch resistant Red paint.

| SAFE SIZE | (£6K CASH) MODEL NUMBER | (£10K CASH) MODEL NUMBER | EXTERNAL DIMENSION H x W x D | INTERNAL DIMENSION H x W x D | WEIGHT (£6K CASH) | WEIGHT (£10K CASH) | CAPACITY |
|------------------|-------------------------------|--------------------------------|---------------------------------|---------------------------------|----------------------|-----------------------|-----------|
| 8" CUBE | UF0561K | UF0511K | 204 x 204 x 204mm | 200 x 200 x 200mm | 12 kg | 13 kg | 8 Litres |
| 10" CUBE | UF0562K | UF0512K | 255 x 255 x 255mm | 251 x 251 x 251mm | 17 kg | 18 kg | 16 Litres |
| 12" CUBE | UF0563K | UF0513K | 305 x 305 x 305mm | 301 x 301 x 301mm | 22 kg | 23 kg | 27 Litres |
| 10" WITH DEPOSIT | UF0564KD | UF0514KD | 255 x 255 x 255mm | 251 x 251 x 251mm | 18 kg | 19 kg | 16 Litres |
| 12" WITH DEPOSIT | UF0565KD | UF0515KD | 305 x 305 x 305mm | 301 x 301 x 301mm | 23 kg | 24 kg | 27 Litres |



UF0560

UF0510

* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

THE PHOENIX LACERTA SERIES

is a range of high quality gun safes designed for the secure storage of 1, 3 or 6 guns.

- **SECURITY PROTECTION** – Meets British Standard BS7558/92. 100% Police Approved.
- **NO. OF GUNS** – GS8000K = 1
GS8001K = 3
GS8002K = 6
- **LOCKING** – Two high security 7 lever locks supplied with two double bitted keys.
- **CONSTRUCTION** – Galvanised steel body and door. High density foam divider and floor mat.
- **FIXING** – Ready prepared for fixing to the floor or wall, with fixing bolts supplied.
- **COLOUR** – Finished in a high quality durable Metallic Graphite paint.



GS8000K

GS8001K

GS8002K



| MODEL NUMBER | EXTERNAL DIMENSIONS H x W x D | INTERNAL DIMENSIONS H x W x D | NUMBER OF GUNS | WEIGHT |
|--------------|----------------------------------|----------------------------------|----------------|--------|
| GS8000K | 1300 x 200 x 150mm | 1290 x 195 x 120mm | 1 | 22Kgs |
| GS8001K | 1300 x 220 x 200mm | 1290 x 215 x 165mm | 3 | 23Kgs |
| GS8002K | 1300 x 350 x 300mm | 1290 x 345 x 265mm | 6 | 35Kgs |

* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

GS8015 SERIES TUCANA GUN SAFES



THE PHOENIX TUCANA GS8015K SERIES is a range of high quality gun safes designed for the secure storage of 3, 5 or 7 guns.

- **SECURITY PROTECTION** – Tested to British Standard BS7558/92. 100% Police Approved.
- **CERTIFICATION** – European EN14450 S1 certified giving cash cover of £2,000 or Valuables cover of £20,000.
- **NO. OF GUNS** –
GS8015K = 3
GS8016K = 5
GS8017K = 7
- **LOCKING** – High security 7 lever lock supplied with 2 double bitted Class I keys, 3 way locking bolts.
- **AMMO BOX** – Internal ammunition box (2 keys supplied).
- **CONSTRUCTION** – Galvanised steel body and door. High density foam divider and floor mat.
- **FIXING** – Ready prepared for fixing to the floor or wall, with fixing bolts supplied.
- **COLOUR** – Finished in a high quality durable Metallic Graphite paint.



GS8015K

GS8016K

GS8017K

| MODEL NUMBER | EXTERNAL DIMENSIONS H x W x D | INTERNAL DIMENSIONS H x W x D | NUMBER OF GUNS | WEIGHT |
|--------------|----------------------------------|----------------------------------|----------------|--------|
| GS8015K | 1450 x 210 x 280mm | 1444 x 204 x 230mm | 3 | 47Kgs |
| GS8016K | 1450 x 255 x 345mm | 1444 x 249 x 295mm | 5 | 57Kgs |
| GS8017K | 1450 x 375 x 345mm | 1444 x 369 x 295mm | 7 | 69Kgs |

Ammo box reduces internal height by 105mm.



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

CB0100 SERIES CASH BOXES



A sturdy range of conveniently sized cash boxes for domestic or office use.

- **LOCKING** – Fitted with a high quality key lock supplied with two keys.
- **SIZES** – Three different sizes available to suit every need.
- **FEATURES** – Supplied with plastic divider tray for coins and notes and convenient external carrying handle.
- **COLOUR** – Finished in a high quality scratch resistant powder coat Red paint.

| MODEL NUMBER | EXTERNAL DIMENSIONS H x W x D |
|--------------|----------------------------------|
| CB0101K | 90 x 200 x 160mm |
| CB0102K | 90 x 250 x 180mm |
| CB0103K | 75 x 300 x 240mm |



KC0020 SERIES KEY BOXES



A high quality range of key boxes with capacities ranging from 20 - 93 keys. Ideal for the home or office.

- **LOCKING** – Fitted with a high quality key lock supplied with two keys.
- **FIXING** – Ready prepared for fixing to the wall with fixings supplied.
- **COLOUR** – Finished in a high quality scratch resistant powder coat Grey paint.

| MODEL NUMBER | EXTERNAL DIMENSIONS H x W x D | CAPACITY |
|--------------|----------------------------------|----------|
| KC0026K | 200 x 160 x 80mm | 20 keys |
| KC0027K | 250 x 180 x 80mm | 48 keys |
| KC0028K | 300 x 240 x 80mm | 93 keys |

* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



KS SERIES KEY STORE



KS0001C Key Store



KS0003C Key Store
with weatherproof cover



KS0002C Key Store
with weatherproof cover



THE PHOENIX KS Series gives you control of door keys, padlock keys, car keys etc. in an attractive secure location that can be easily mounted to a wall.


- **LOCKING** – Simple to change 4 digit dial combination lock (KS0001C) and easy to use changeable push button lock (KS0002C/KS0003C).
- **FIXING** – Ready prepared for wall fixing (bolts supplied).
- **CONSTRUCTION** – High strength cast alloy.
- **FEATURES** – Internal magnetic hook (KS0001C) and full weatherproof rubber cover (KS0002C/KS0003C).

| MODEL NUMBER | EXTERNAL DIMENSIONS H x W x D | WEIGHT |
|--------------|----------------------------------|--------|
| KS0001C | 100 x 65 x 35mm | 0.4kg |
| KS0002C | 115 x 62 x 58mm | 1kg |
| KS0003C | 136 x 94 x 71mm | 0.85kg |

* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



KS0030 SERIES CYGNUS KEY DEPOSIT SAFES




THE PHOENIX CYGNUS SERIES OF KEY DEPOSIT SAFES are available in capacities of 30-700 keys and all come with a key deposit facility. Ideal for home, office, schools, garages, office blocks.

- **LOCKING – KS0030K** – Fitted with a high quality key lock and comes complete with two keys.
KS0030E – Advanced ‘user friendly’ electronic locking with anti-tamper or bounce solenoid locking system. For added peace of mind these safes are fitted with a key override facility should the code be misplaced (2 keys supplied).
- **SECURITY** – When bolted to a wall these key Safes provide defence against burglaries aimed at stealing car keys, house keys etc.
- **FIXING** – Ready prepared for fixing to the wall with bolts supplied.
- **SPECIAL FEATURES** – Key deposit slot, allowing keys to be deposited without the need to open the safe.
- **KEY TAGS** – Supplied complete with a selection of coloured key rings
- **COLOUR** – Finished in a high quality scratch resistant paint RAL9003 White.



| MODEL NUMBER | EXTERNAL DIMENSIONS H x W x D | INTERNAL DIMENSIONS H x W x D | DEPOSIT SLOT H x W x D | WEIGHT | CAPACITY |
|--------------|----------------------------------|----------------------------------|---------------------------|--------|----------|
| KS0031K/E | 280 x 300 x 100mm | 275 x 295 x 80mm | 55 x 35 x 15mm | 6.5kg | 30 keys |
| KS0032K/E | 360 x 300 x 100mm | 350 x 275 x 80mm | 55 x 35 x 15mm | 7.5kg | 48 keys |
| KS0033K/E | 660 x 430 x 130mm | 655 x 424 x 110mm | 55 x 35 x 15mm | 20kg | 144 keys |
| KS0034E | 755 x 580 x 250mm | 745 x 570 x 230mm | 55 x 35 x 15mm | 43kg | 300 keys |
| KS0035E | 760 x 580 x 280mm | 750 x 570 x 260mm | 55 x 35 x 15mm | 46kg | 500 keys |
| KS0036E | 760 x 580 x 330mm | 750 x 570 x 310mm | 55 x 35 x 15mm | 49kg | 700 keys |



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

KC0600 SERIES COMMERCIAL KEY CABINETS



smart
LOCK





A series of high quality Key Cabinets ranging from 42 hooks up to 600 hook units.

- **LOCKING – KC0600K** – Manufactured with a high quality cylinder lock supplied with 2 keys.
KC0600E – Fitted with a high quality electronic code lock, programmable with users own 4 digit code which can easily be changed when required.
KC0600S – As KC0600E with added feature of Push shut latch mechanism (Not available on KC0606 & KC0607 double door units).
KC0600N – Fitted with the NetCode 1000 lock allowing temporary access to the cabinets via the web-based NetCode Portal. NetCode is activated prior to the lock owner shipping and installing at a remote site. The NetCode Portal allows you to register and set up your account, activate your locks and generate time-sensitive codes. Using time-sensitive codes is a more secure way to grant access as the code will not work outside a designated timeslot. Generated codes

can be sent by email or SMS to any email account or mobile phone.

KC0600P – Fitted with a Euro cylinder lock case. Optional (SP0600/Euro Lock) 35mm cylinder available separately, allowing you to add to your key system.

- **SPECIAL FEATURES** – Each unit comes with adjustable hook bars and number labels to suit. The 400 and 600-hook units are double door cabinets.
- **FIXING** – The cabinets have pre-drilled fixing holes for wall mounting.
- **FINISH** – Finished in a high quality durable powder coated finish.



KC0600K/P


KC0600E/S/N

| MODEL NUMBER | EXTERNAL DIMENSIONS H x W x D | WEIGHT | HOOKS |
|-----------------|----------------------------------|--------|-------|
| KC0601K/E/S/N/P | 350 x 270 x 80mm | 4kg | 42 |
| KC0602K/E/S/N/P | 450 x 300 x 80mm | 6kg | 64 |
| KC0603K/E/S/N/P | 550 x 380 x 80mm | 7kg | 100 |
| KC0604K/E/S/N/P | 550 x 380 x 140mm | 11kg | 200 |
| KC0605K/E/S/N/P | 550 x 380 x 205mm | 14kg | 300 |
| KC0606K/E/N/P | 550 x 730 x 140mm | 20kg | 400 |
| KC0607K/E/N/P | 550 x 730 x 205mm | 28kg | 600 |


* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



KC0302K




KC0303K



KC0301K

THE KEYSURE DEEP KEY CABINETS have been designed to accommodate larger or more bulky keys, which make them ideal for the motor trade or estate agents, where larger keys or more than one key is used.

- **LOCKING – KC0300K** – Manufactured with a high quality cylinder lock supplied with 2 keys. **KC0300E** – An economical Electronic Code lock. A simple 10 digit keypad gives the owner the option of entering 4-digit codes, and is easy to use. **KC0300M** – A Mechanical push button combination code lock. The lock has over 8,000 combination differs, and comes with a push-shut latch operation. The lock also has a hold open facility for code free entry.
- **SPECIAL FEATURES** – Each unit comes complete with adjustable hook bars, key tabs, key rings, number labels to suit the hook bars and removable control indexes.
- **FIXING** – The cabinets have pre-drilled fixing holes for wall mounting.



KC0300K

KC0300E

KC0300M


| MODEL NUMBER | EXTERNAL DIMENSIONS H x W x D | INTERNAL DIMENSIONS H x W x D | DOOR SWING | WEIGHT | CAPACITY/ HOOKS |
|--------------|----------------------------------|----------------------------------|------------|--------|--------------------|
| KC0301K/E/M | 350 x 380 x 140mm | 348 x 378 x 138mm | 340mm | 5kgs | 50 |
| KC0302K/E/M | 550 x 380 x 140mm | 548 x 378 x 138mm | 360mm | 10kgs | 100 |
| KC0303K/E/M | 550 x 730 x 140mm | 548 x 728 x 138mm | 365mm | 17kgs | 200 |

* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

KC0400 SERIES CLEAR VIEW KEY CABINETS




THE KEYSURE CLEAR VIEW key cabinets have been manufactured with a clear window so that the contents are easily viewed without needing access to the cabinet. These cabinets are ideal for controlled environments.



- **LOCKING** – **KC0400K** – Manufactured with a high quality cylinder key lock supplied with 2 keys. **KC0400E** – Economical Electronic Code lock with a simple 10 digit keypad gives the owner the option of entering 4-digit codes, and is easy to use.
- **SPECIAL FEATURES** – Each unit comes complete with adjustable hook bars, key tabs, key rings, number labels to suit the hook bars and removable control indexes.
- **FIXING** – The cabinets have pre-drilled fixing holes for wall mounting.

- **FINISH** – Finished in a durable powder coated finish.

| MODEL NUMBER | EXTERNAL DIMENSIONS H x W x D | INTERNAL DIMENSIONS H x W x D | DOOR SWING | WEIGHT | CAPACITY/ HOOKS |
|--------------|----------------------------------|----------------------------------|------------|--------|--------------------|
| KC0401K/E | 350 x 380 x 80mm | 345 x 375 x 70mm | 360mm | 4kgs | 30 |
| KC0402K/E | 450 x 380 x 80mm | 445 x 375 x 70mm | 360mm | 5kgs | 40 |
| KC0403K/E | 550 x 380 x 80mm | 545 x 375 x 70mm | 360mm | 7kgs | 50 |



KC0500 SERIES DEEP PLUS KEY & PADLOCK CABINETS

THE KEYSURE DEEP cabinets have been designed to accommodate larger bunches of keys or padlocks. Each hook is longer, double spaced and staggered, to give the required space for this application.



- **LOCKING** – **KC0500K** – Manufactured with a high quality cylinder key lock supplied with 2 keys. **KC0500E** – Economical Electronic Code lock with a simple 10 digit keypad gives the owner the option of entering 4-digit codes, and is easy to use. **KC0500M** – Mechanical push button combination code lock. The lock has over 8,000 combination differs, and comes with a push-shut latch operation. Also has a hold open facility for code free entry.
- **SPECIAL FEATURES** – Each unit comes complete with adjustable hook bars, key tabs, key rings, number labels to suit the hook bars and removable control indexes.

- **FIXING** – The cabinets have pre-drilled fixing holes for wall mounting.
- **FINISH** – Finished in a durable powder coated finish.

| MODEL NUMBER | EXTERNAL DIMENSIONS H x W x D | INTERNAL DIMENSIONS H x W x D | DOOR SWING | WEIGHT | CAPACITY/ HOOKS |
|--------------|----------------------------------|----------------------------------|------------|--------|--------------------|
| KC0501K/E/M | 350 x 380 x 140mm | 348 x 378 x 138mm | 340mm | 6kgs | 24 |
| KC0502K/E/M | 550 x 380 x 140mm | 548 x 378 x 138mm | 360mm | 10kgs | 50 |
| KC0503K/E/M | 550 x 730 x 140mm | 548 x 728 x 138mm | 360mm | 17kgs | 100 |



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

MB SERIES TOP-LOADING MAIL BOXES



CASA
MB0111KB



CURVO
MB0112KG



MODA
MB0113KW



VILLA
MB0114KB

AVAILABLE COLOURS
BLACK ● GREEN ● WHITE ●

MB SERIES Top-loading letter-slot deposit.

- **LOCKING** – Fitted with a high quality key-lock and supplied with two keys.
- **FIXING** – Suitable for wall mounting with pre-drilled holes and fixings supplied.
- **CONSTRUCTION** – A heavy duty construction allows a lengthier product lifespan when compared to other thinner-walled mail boxes.
- **FINISH** – A zinc galvanised coating prevents oxidation of the mail box and gives it a corrosion resistant, weather-proof and rust proof finish.

- **COLOUR** – All models available in either a Black, Green or White powder coated finish.

| MODEL NUMBER | COLOUR AVAILABLE | EXTERNAL DIMENSIONS H x W x D | LETTERSLOT H x W | WEIGHT |
|----------------|------------------|----------------------------------|---------------------|--------|
| CASA MB0111KB | ● | 390 x 365 x 115mm | 36 x 358mm | 3kg |
| CASA MB0111KG | ● | 390 x 365 x 115mm | 36 x 358mm | 3kg |
| CASA MB0111KW | ● | 390 x 365 x 115mm | 36 x 358mm | 3kg |
| CURVO MB0112KB | ● | 405 x 320 x 130mm | 34 x 250mm | 3kg |
| CURVO MB0112KG | ● | 405 x 320 x 130mm | 34 x 250mm | 3kg |
| CURVO MB0112KW | ● | 405 x 320 x 130mm | 34 x 250mm | 3kg |
| MODA MB0113KB | ● | 365 x 368 x 115mm | 40 x 354mm | 3kg |
| MODA MB0113KG | ● | 365 x 368 x 115mm | 40 x 354mm | 3kg |
| MODA MB0113KW | ● | 365 x 368 x 115mm | 40 x 354mm | 3kg |
| VILLA MB0114KB | ● | 390 x 270 x 115mm | 38 x 260mm | 2kg |
| VILLA MB0114KG | ● | 390 x 270 x 115mm | 38 x 260mm | 2kg |
| VILLA MB0114KW | ● | 390 x 270 x 115mm | 38 x 260mm | 2kg |



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

MB SERIES FRONT-LOADING MAIL BOXES



LIBRO
MB0115KG



LETRA
MB0116KW

AVAILABLE COLOURS
BLACK ● GREEN ● WHITE ●



CLASICO
MB0117KW



CORREO
MB0118KG

MB SERIES Front-loading letter-slot deposit.

- **LOCKING** – Fitted with a high quality key-lock and supplied with two keys.
- **SPECIAL FEATURES** – The Letra and Correo are also stackable making it ideal for multi-occupancy residences and office blocks.

- **FIXING** – Suitable for wall mounting with pre-drilled holes and fixings supplied.
- **CONSTRUCTION** – A heavy duty construction allows a lengthier product lifespan when compared to other thinner-walled mail boxes.
- **FINISH** – A zinc galvanised coating prevents oxidation of the mail box and gives it a corrosion resistant, weather-proof and rust proof finish.
- **COLOUR** – All models available in either a Black, Green or White powder coated finish.



LETRA
(STACKED)

| MODEL NUMBER | COLOUR AVAILABLE | EXTERNAL DIMENSIONS H x W x D | LETTERSLOT H x W | WEIGHT |
|------------------|------------------|-------------------------------|------------------|--------|
| LIBRO MB0115KB | ● | 352 x 392 x 205mm | 46 x 324mm | 4.5kg |
| LIBRO MB0115KG | ● | 352 x 392 x 205mm | 46 x 324mm | 4.5kg |
| LIBRO MB0115KW | ● | 352 x 392 x 205mm | 46 x 324mm | 4.5kg |
| LETRA MB0116KB | ● | 320 x 215 x 85mm | 30 x 176mm | 2kg |
| LETRA MB0116KG | ● | 320 x 215 x 85mm | 30 x 176mm | 2kg |
| LETRA MB0116KW | ● | 320 x 215 x 85mm | 30 x 176mm | 2kg |
| CLASICO MB0117KB | ● | 370 x 365 x 135mm | 40 x 216mm | 3.5kg |
| CLASICO MB0117KG | ● | 370 x 365 x 135mm | 40 x 216mm | 3.5kg |
| CLASICO MB0117KW | ● | 370 x 365 x 135mm | 40 x 216mm | 3.5kg |
| CORREO MB0118KB | ● | 315 x 365 x 115mm | 40 x 320mm | 3kg |
| CORREO MB0118KG | ● | 315 x 365 x 115mm | 40 x 320mm | 3kg |
| CORREO MB0118KW | ● | 315 x 365 x 115mm | 40 x 320mm | 3kg |



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

MB SERIES STAINLESS STEEL KEY-LOCKING MAIL BOXES



**MB0118KS
CORREO**



**MB0114KS
VILLA**



**MB0111KS
CASA**



**CORREO
(STACKED)**

MB SERIES Full height drop-down door (with envelope motif) for easy removal of contents. **Weather-proof and rust-proof.**

- **LOCKING** – Fitted with a high quality key-lock and supplied with two keys.
- **SPECIAL FEATURES** – The **MB0118KS** has a front-loading A4 letter-slot deposit. This unit is also stackable with pre-drilled holes making it ideal for multi-occupancy residences and office blocks. The **MB0111KS** and **MB0114KS** have a top-loading slot beneath the roof flap.
- **FIXING** – Suitable for wall mounting with pre-drilled holes and fixings supplied.
- **CONSTRUCTION** – From high grade stainless steel giving the mail box a quality heavy duty appearance.
- **FINISH** – Brushed Stainless Steel finish.



| MODEL NUMBER | EXTERNAL DIMENSIONS H x W x D | LETTER-SLOT H x W | WEIGHT |
|------------------------|----------------------------------|----------------------|--------|
| CORREO MB0118KS | 315 x 365 x 115mm | 40 x 320mm | 3kg |
| CASA MB0111KS | 390 x 365 x 115mm | 36 x 358mm | 3kg |
| VILLA MB0114KS | 390 x 270 x 115mm | 38 x 260mm | 2kg |

* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

SC0062 MADRID SC0071 MILANO LAPTOP SECURITY CASES



THE PHOENIX MADRID AND MILANO LAPTOP CASE ranges are not only stylish but also extremely durable with its aluminium body and ABS panelling.

- **SECURITY** – High security cable and lock to allow case to be secured to almost any fixed item. Ideal for use in the boot of a car, hotel room or office.
- **LOCKING** – Twin high quality chrome changeable combination locks secure the case.
- **FEATURES** – Interior lined with high quality materials to protect your laptop from damage.
Supplied with zipped cable bag to keep all your cables neat and tidy.

- **STORAGE** – Able to hold 17" laptop*.
- Filing compartment to keep all your working documents neat and tidy.
Adjustable soft compartment separator.
Supplied with high quality shoulder strap.

| MODEL NUMBER | EXTERNAL DIMENSIONS H x W x D | WEIGHT |
|--------------|----------------------------------|--------|
| SC0062CG | 115 x 470 x 350mm | 2kg |
| SC0071C | 105 x 455 x 345mm | 2kg |



*Maximum laptop size
(SC0062CG – W430mm x D290mm)
(SC0071C – W420mm x D287mm)

* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



phoenix

SAFE COMPANY LIMITED



UNITED KINGDOM

APEX HOUSE
1 ORRELL MOUNT
LIVERPOOL • L20 6NS
UNITED KINGDOM
+44 (0)151 944 6444
info@phoenixsafe.co.uk



FRANCE

19 RUE DES HALLES
16510 VERTEUIL SUR CHARENTE
FRANCE
0033 (0)5 45 89 68 80
info@phoenixsafe.fr



SPAIN

AVDA • DE LA INDUSTRIA
52 POLÍGONO INDUSTRIAL
28823 COSLADA
MADRID • ESPAÑA
0034 (91) 6736411
info@phoenixsafe.es



GERMANY

PHOENIX SAFE DEUTSCHLAND GmbH
BAHNSTR. 23
D-42327 WUPPERTAL
DEUTSCHLAND
+49-(0) 202 / 69519 -0
info@phoenixsafe.de



ITALY

VIA MONTE ROSA 28
20049
CONCOREZZO
MILAN • ITALY
0039 039 8900 408/411
info@phoenixsafe.it



UNITED STATES

382 N MOUNT ZION RD
P.O. BOX 608 • LEBANON
INDIANA • 46052
U.S.A
001 (765) 483 0954
phoenix@phoenixsafeusa.com



www.phoenixsafe.com

VERSION 5



Certificate Number 1059
ISO 9001